


Price, Fifty Cents.

SCOVILL'S PHOTOGRAPHIC SERIES



THE SCOVILL & ADAMS COMPANY,
423 Broome Street, New York.

THE MODERN PRACTICE
OF
RETOUCHING
NEGATIVES,

AS PRACTICED BY

FRENCH, GERMAN, ENGLISH & AMERICAN EXPERTS.

FOURTH EDITION.

Revised and Enlarged.

NEW YORK:
THE SCOVILL & ADAMS COMPANY,
423 Broome Street.
1889.



PREFACE.

RETOUCHING is a branch of photographic art that has taken firm root in all directions, and by its judicious use has conferred a beauty upon negatives previously unknown. It is to be regretted that some carry it to such an extent as to far transcend its legitimate functions and entirely destroy the likeness in the desire to flatter the subject.

It is well said that the legitimate functions of retouching are the removal of blemishes and the correction of such inequalities as those caused in the photographic reproduction of colors, which are often untrue to nature. Its debatable sphere is the softening of shadows and lines in the features in conjunction with attempts to alter the expression.

The author of the first part of this book refers to the treatment and retouching of collodion negatives, but his technics are exceedingly well adapted to retouching upon gelatine films.

The latter part contains instructions for retouching on gelatine negatives as practiced by German, English and American experts. The entire book has been thoroughly revised, considerably enlarged, and brought down to date by

THE EDITOR.

NEW YORK CITY, January, 1889.

CONTENTS.

| | PAGE. |
|---|-------|
| CHAPTER I. | |
| RETOUCHING—ITS USE AND PLACE | 5 |
| CHAPTER II. | |
| MATERIALS NECESSARY FOR NEGATIVE RETOUCHING..... | 7 |
| CHAPTER III. | |
| DIFFERENT SURFACES FOR TOUCHING ON COLLODION FILMS..... | 9 |
| CHAPTER IV. | |
| HOW TO RETOUCH | 13 |
| CHAPTER V. | |
| COPIES..... | 17 |
| CHAPTER VI. | |
| POSITIVES | 20 |
| CHAPTER VII. | |
| ENLARGEMENTS | 22 |
| CHAPTER VIII. | |
| LANDSCAPES | 25 |
| CHAPTER IX. | |
| PREPARING THE GELATINE NEGATIVE FOR RETOUCHING | 28 |
| CHAPTER X. | |
| THE EASEL AND LIGHTING..... | 32 |
| CHAPTER XI. | |
| RETOUCHING DETAILS..... | 34 |
| CHAPTER XII. | |
| HINTS FROM THE GERMAN METHODS OF RETOUCHING . | 38 |
| APPENDIX. | |
| RETOUCHING LARGE HEADS..... | 40 |
| RETOUCHING GELATINE NEGATIVES WITH RED CHALK AND BLACK CRAYON..... | 42 |
| RETOUCHING THE NEGATIVE BY CHEMICAL MEANS..... | 44 |



RETOUCHING COLLODION NEGATIVES.

AS PRACTICED BY M. PIQUEPÉ.

CHAPTER I.

RETOUCHING—ITS USE AND PLACE.

THE retouching of photographic negatives has become much more general during the last few years. I shall not here seek to prove the practical utility of it; the favor with which the custom has been received by photographers in general is a sufficient proof of it. Unfortunately, it has been in this as in all other arts; a great many indifferent operators, imagining that it was sufficient to work more or less on a face, to add or take away in certain places, without discretion, cleverness or taste, have rushed into this work and have produced results so grotesque and ridiculous that there are even now experienced persons who deny that retouching is a means of improving their work. This is certainly a mistake, because, though there are bad retouchers, yet there are very clever disciples of this new art. And this is so true that in many studios the operator trusts entirely to the skill of the retoucher. He troubles himself very little with his manipulations; he cares little whether his sitter is well or badly lighted; whether his negatives are free from spots or stains; if the negative is sharp and not too hard, the retouching, he thinks, will do all the rest. In other studios the operator is instructed to produce thin negatives without any vigor, but over-exposed and full of detail; no bright lights are left, the whole is flat and dead, and the re-

toucher must give life to everything. This I do not hesitate to say is all wrong. Probably in this way the public get prints which flatter their caprice, but an experienced eye will soon detect the faults of these productions, and will condemn them at once from an artistic point of view, for everything is rounded and cut off; the figure and the background appear to be stuck one on the other; there is no depth, no atmosphere—nothing but mechanical work, sometimes cleverly done, but powerless to give truthful pictures.

Looking at it in this way, it is true that retouching has done more harm than good to photography; but it must be acknowledged that this sort of work is not general. There are photographers who have appropriated this new means to their requirements, only using it as a remedy for inevitable faults in photographic manipulations. These persons are right, and we all admire their works.

Therefore, I cannot lay it down too clearly, that retouching, even when done by a real artist, should be considered only as a necessary continuation of very careful work; not that the part of the retoucher is inferior to that of the operator, but that the two should work so well together that the final result will be arrived at through the cleverness of both.


It is not everybody who can touch well. It is a work requiring a great deal of taste, lightness of hand, close application, and great patience, all of which qualities few people possess. But every photographer is capable of correcting in his negatives all faults which may occur, no matter how skilled the operator may be.

These are the means which I shall describe as clearly and practically as possible in the following pages, avoiding entering into superfluous details of science, or, rather, of anatomy, a knowledge of which being in no way indispensable, and which could only puzzle the learner, and in all probability lead him astray. Perhaps even a clever retoucher may learn some hints from them, while those who wish to learn the art will find, I am sure, clear explanations, and will be enabled to succeed at once, without going into a too exaggerated style of work.

CHAPTER II.

MATERIALS NECESSARY FOR NEGATIVE RETOUCHING.

THE first thing wanted is an easel on which to work. This should be a piece of fine ground glass in a frame, on which the negative is placed. The bottom of this frame has hinges as well as the top, which retain a cover of wood kept open by means of small supports, which are lying on the sides of the frame of the ground glass. The necessary slant is given to this by means of two other supports, entering at will into some notches on the edges of the surface of a flat and square box, of which the middle is covered by a looking glass reflecting the light under the negative. Several carriers, same size as the ordinary photographic glasses, and fitting one into the other, stop completely the light round the negative. A little movable rule goes up and down in front of the ground glass, and serves as a rest for the hand of the retoucher. This easel should be put upon a table before a window with a north aspect. As there should be no light except what illuminates the negative, a black blind should be thrown over the top, and to fall down each side. There are easels sold on purpose, and provided even with wooden shutters, which are kept open by hooks fitting into the top shutter. The retoucher is thus inclosed in a box, and gets no light except what comes through the negative.



The choice of pencils and brushes is very important. The "Faber" Siberian Graphite Pencil of various grades of hardness being considered the best, and are universally employed.

For cutting these pencils, use a little file, on which they should be rubbed, or very fine emery paper cut into narrow slips.

The brushes should be sable, and very soft. It is very difficult to get good brushes, so they should be chosen with great care. They must be pretty thick, not too long, and with a very good point. All this will be easily found out by dipping them in water and bending them about. If a brush, then, at once makes a fine point, it is a good one.

The two colors most required in negative retouching are Indian ink and light blue. The first is the most opaque color, but as the tint is the nearest to the negative, it will permit of finer work.

A magnifying glass may be used, which will render some parts more apparent—for instance, if a very small head is being done—but for general work it magnifies the faults too much, and the general effect and modeling are lost in paying too much attention to detail.

Finally, stumps of different sizes, and a very soft camel's-hair brush for dusting the surface during the operation, will complete the list of necessary implements for the retoucher.



CHAPTER III.

DIFFERENT SURFACES FOR TOUCHING ON COLLODION FILMS.

MANY discussions have been raised as to which varnish gives the best surface for touching on, and many methods have been proposed. Gum arabic dissolved in water has long been used; but there are certain drawbacks to this method which have caused it to be very generally abandoned. The solution must not be too strong, or the pencil will not mark on it; and as, in damp weather, it is never perfectly dry, working on it is somewhat dangerous. Besides, the density both of the negative and of the touches on it changes after being varnished, and gum being so easily affected by damp, the collodion films will be sure to suffer more or less.

Dr. Van Monekhoven advises the use of a varnish composed as follows: Make a concentrated solution of carbonate of ammonia, to which add some ordinary shellac; let stand for twenty-four hours, and, having decanted off the clear part, add to it an equal quantity of water; heat this to boiling point stirring all the time, and there will then be a brown solution of shellac in the proportion of eight parts to one hundred parts of water. Filter before use. This solution must smell of shellac; if it smells of ammonia, it will not have been properly prepared. Apply two coatings of this to the negative after it has been washed and drained. When dry the film is brilliant, insoluble in water, and hard enough not to require any other varnish if only a few prints are required. The negative can, however, be varnished as usual, and the second coating, being quite unable to penetrate the first, will not cause any change either in the density of the negative or the touches on it.

It has become very general of late to find retouching done on the varnish itself, though there are no varnishes made for touching on which quite answer the purpose; most of them do not take the pencil well enough to allow of a very fine and careful touching, while others fall into the other extreme, so that regular work is impossible. Besides, in most of the experiments in this matter, and in formulas given, people appear to think more about getting a soft surface than to get a strong protection for the collodion film, which appears to me to be a most important thing. For this reason I do not advise the use of any cold varnishes; they do not resist sufficiently the change of the temperature, and often cause the loss of negatives. However, as it is sometimes desirable to use a retouching varnish, I give the following formulas:

No. 1.

| | | | | |
|---------------|---|---|---|------------|
| Shellac, | - | - | - | 125 parts. |
| Gum sandarac, | - | - | - | 120 " |
| Rosin, | - | - | - | 5 " |
| Castor oil, | - | - | - | 10 " |
| Alcohol, | - | - | - | 500 " |

Dissolve the gums in the alcohol, let stand a day, and add the castor oil.

No. 2.

| | | | |
|------------------|---|---|-----------|
| No. 1.—Alcohol, | - | - | 80 parts |
| Sandarac, | - | - | 15 " |
| Turpentine, | - | - | 5 " |
| Oil of lavender, | - | - | 4 " |
| No. 2.—Alcohol, | - | - | 22 parts. |
| Ether, | - | - | 2 " |
| Camphor | - | - | 5 " |
| Distilled water, | - | - | 10 " |

Mix the two solutions, let stand some days, and filter. This formula is very much used.

No. 3.

| | | | | | |
|---------------|---|---|---|----|--------|
| Gum sandarac, | - | - | - | 30 | parts. |
| Castor oil, | - | - | - | 6 | " |
| Alcohol, | - | - | - | 18 | " |

Dissolve the sandarac in the alcohol, and afterward add the castor oil.

These varnishes are to be used hot. The greatest drawback to them is that they depend too much on the amount of heating given to the negative. If applied too hot the surface is very brilliant, and so hard that the pencil leaves no mark; if, on the contrary, it has not been sufficiently heated, the film is soft, and scratches easily.

What appears to me to be the easiest and safest way is as follows: Use a very hard and brilliant varnish, and deaden the parts about to be touched with the following solution:

| | | | | | |
|------------------|---|---|---|-----|--------|
| Pure turpentine, | - | - | - | 100 | parts. |
| Gum dammar, | - | - | - | 5 | " |

Apply this to the varnish with a rather dry brush; let dry three or four hours. This may be used with all hot varnishes which do not contain castor or lavender oils.

Another method of making all varnishes fit for touching on is the following: With a piece of cotton wool take a little emery powder or cuttle-fish, and rub over the part to be touched till the surface becomes mat and takes the pencil mark easily. This operation should be done over the ground glass of the desk, great care being taken not to damage the collodion film by rubbing too hard. This way takes a longer time, and is less certain than the other; besides, the surface obtained is not always uniform, and the pencil, therefore, works irregularly. At times the varnish is too forcibly abraded, and as a result of this a halo of light shows in the printed proof. In such cases the retouched negative should be heated enough to restore the original transparency of the varnish.

The S. P. C. Retouching Fluid having lately come into prominence, answers exceedingly well, as pencils of any degree of hardness take well to it.

A few drops of this fluid distributed evenly over the surface of the portions of the negative to be retouched, will produce a thin cuticle of the medium, which after an hour's drying offers a fine surface without grit, to work upon. Errors made in retouching may be corrected by wiping off the pencil marks with a finely pointed stump, moistened with spirits of turpentine, and again retouching this portion of the negative.



CHAPTER IV.

HOW TO RETOUCH.

BEFORE beginning to touch, the artist should examine his negative well, so as to decide what he will do to get the best effects. If the negative is faultless as to lighting, the half tints well defined, and the shadows are not too black, the work will be easy. There will only be the little inequalities of the skin to take out, to gently soften parts that always come out too hard, such as the shadows under the eyes, nose and chin.

Always begin with the highest light, which is the most opaque part of the negative. Touch out all little transparent specks, which is done by *leaning* the point of the pencil, which must be very finely cut, on to the middle of the spot. The pencil must be so used that the lines made by it are not more opaque than the surrounding part of the negative, and put the touches as close together as possible, in order to get an even result. So that the whole shall blend well together, the point of the pencil must work over all the specks and spots that have to be eradicated, and go gradually downward from the forehead to the eye, then the nose, mouth, and chin, in one continuous motion.

If, when all this is done, the negative looks flat and thin, it will be necessary to think about giving effects of light. To do this, begin again at the upper part of the forehead; put a few well-rounded lines over the eyebrows, then a short line on the bridge of the nose, starting from a little below the eyebrow; then, further down, a point of light which will round off the end and bring it well in relief; the same on the upper part of the cheek bones, on the lips, and chin. All this must be done with a delicate hand, though the lights must be well

defined by the little fine touches, always avoiding a regular hatching appearance. The touches should become less opaque toward the lower part of the face; the principal lights being on the top of the forehead, over the eyebrows, the bridge of the nose, and the cheek bone; the side of the nose, the corners of the mouth, and the cheek being the middle tints, while under the eyebrows, the eyes, the line indicated by the aisle of the nose, underneath the nose, and the line of the chin, are in the deepest shadow.

With old people some lines and wrinkles may be taken out, but not all of them, or else the character of the face is lost.

With very thin faces avoid working too much on the hollows, on the forehead, temples, and cheeks, or the face will become too rounded, and the resemblance gone.

All these things must be determined upon by examining the negatives very carefully from different distances, as it is impossible to judge of the effect of the touches and the general harmony of the picture by looking at it closely.

It sometimes happens that the shadows under the eyes are too dark to be worked upon by the pencil. In this case a brush must be used, and Indian ink mixed with water. The brush must be very finely pointed, and with little color in it, and nearly dry; as, if the color is put on very wet, the density of the work would change in drying, and the retouching would be very rough and take longer to do. This mode of touching may be used with advantage on places where the pencil alone does not give a sufficiently strong tint.

Negatives that have been too much intensified with pyrogallic acid are very difficult to work upon, on account of the opacity of the lights and the hard transparency of the shadows. The same may be said of negatives taken with a weak silver bath, or under-exposed ones. As no one is likely only to have to do with perfect negatives, it will be useful to know what are the best means to be employed in order to improve imperfect ones. In the first place, as usual, a very black pencil must be used, also a brush and Indian ink, as just described,

for the transparent shadows. Clean the back very well, and pour on it, in the same manner as if collodionizing a plate, Hance's ground-glass varnish. When dry, this should give an even white surface, almost like very fine ground glass, on which the pencil will work beautifully, and the touching, done with great discretion on the back of the negative, gives a very soft appearance to the prints. This mode of retouching may be very profitably employed for very large heads. A finer work will be done on the parts which it has been impossible to finish on the collodion side. Thus, in places that are too transparent—in the hair, for instance, or the beard—put in a few lights; under the eyes and nose soften the shadows, which are always too strong in that part of the negative; and if the forehead, the cheek, and the lighted side be too dense, with a penknife scratch the varnish at these places, so that they may print through quicker, taking care to leave soft edges to avoid hardness in printing, which is easily done by cutting the outlines into indentures unequally pinked. By these means it will be easy to improve bad negatives, but the density will be then greater. The lighting of the clothing must now be proceeded with. All the parts requiring lighting must be gone over with a stump dipped in lead powder, following all the folds of the drapery, etc., applying the end of the stump to the middle of the part to be lit and then softening off the edges with another larger and clean stump. This part of the work may also be done with a brush moistened with Indian ink. The results thus obtained are the same; therefore, the retoucher can choose whichever method he prefers.

Sometimes the white varnish does not give the required opacity; if so, the same varnish, to which add a few drops of a solution of iodine in alcohol, may be used. This will give a more or less yellow film, through which the light will pass slowly. Retouching can be done on this surface either by means of a stump or brush; if the latter, the tint of the Indian ink may be softened down by tapping it with the end of a finger. These two varnishes are very hard and solid when dry.

Some work may be done with the pencil on the neck, shoulders, arms, and hands; but none of the lines of muscles should be touched. If these parts are too flat, they may be strengthened in the way previously described.

Any little spots or holes in the negative should be touched with Indian ink or light blue. It will be easily understood how useful this kind of touching may be when well done, as by means of it passable or even bad negatives may be made to give almost perfect prints.

Another way of giving a good effect to a negative is to dissolve dragon's blood in alcohol; add a few drops of this, according to the strength of tint desired, to a plain collodion; pour this on the back of the negative, removing it with a knife from the parts to be kept transparent. This method is not so good as the two varnishes previously described, because the surface is too tender to be worked upon by brush or pencil, and very apt to become scratched or rubbed off in printing. However, it may be used to get a considerable density on a very thin negative. In this case the back of the negative is covered with a layer of the solution, and when it is dry remove it from the most opaque portions, and varnish all over with benzole varnish, which will solidify the other and give a good surface for touching either with stump or brush.

CHAPTER V.

COPIES.

NEGATIVES taken from old faded photographs are sometimes very difficult to retouch. Negatives enlarged from photographic cartes always have a very granular and bad effect, and this is inevitable, being the texture of the paper in the original. The best thing to do is to use gum arabic solution, as mentioned in Chapter III., applying it to the collodion negative when still moist. If sufficient density cannot be gained, varnish, then work with a pencil over all the parts that will take it, and finish off with a brush.

It is better to aim at general effect than great fineness in touching, for it will be found impossible, without going through very long and complicated work, to entirely get rid of the grain of the paper. Also, the retoucher should not have his eye too close to the negative. The transparent spots must be filled in by means of very fine lines drawn in the direction of the spots; then put in the lights without exaggerating them, having, if possible, the original at hand to compare with. If the negative is so flat that neither brush nor pencil will give the desired effect, use for a last operation Hance's varnish as previously described.

The reproduction of daguerreotypes is less difficult, the negatives being free from all texture; and as the polished silver plates show a very bright surface to the light, there will only be the modeling and general softening to be done.

If the background is too dark, which occurred frequently with Daguerreotypes, and it is thought desirable to lighten it, coat the back of the negative with a white or yellow varnish, leave it to evaporate for an instant, and before it is

quite dry, run a line with a penknife all around the figure, from which remove the varnish, only leaving it on the background, which will then print much lighter. In removing the varnish, it must be remembered that it is better to leave a little line behind the figure than to scrape away too much. If it is only found necessary to lighten one side of the background, use benzole varnish, and then the stump, on the place wanted, taking care to soften the edge well by rubbing with the finger or cotton wool.

If, on the other hand, a white background has to be changed into a black one, or any ugly accessories have to be removed, proceed as follows: Put the negative on the touching easel, and, with a needle stuck into a piece of wood, follow the outline of the figure with great precision, scratching through the collodion film. In this operation the line should rather impinge upon the background than upon the figure. If the face is turned profile or three-quarter face, the operation is very delicate, and wants the greatest attention. The safest way will be to have the arm very firmly supported. In going round the hair will be scratched into indentures as fine as possible; for the drapery, etc., less delicate work is required. When the needle has been all around the edges, take a rather thicker point, and enlarge the line drawn by the needle. It will then be easier and quicker to remove all the rest of the background with a penknife. If this can be done on the collodion only, the surface, being soft, will take much less time, and the negative can afterwards be varnished in the usual way. If it has been done on a varnished surface, the rest of the film must be cleaned off with a few drops of alcohol rubbed on with some silver paper. This done, the whole line must be softened, as the needle will have left a hard, sharp line. With a fine brush and Indian ink stipple lightly all round, doing it with the point of the brush, and leaving a tiny space between each touch. This work must be done finer and closer as it approaches the face, and requires as much care as the scratching with the needle, as it is to this stippling that will be due a softness of outline in the prints which will make them resemble

those done with a natural background. The back of the negative is then covered with either a white or a red varnish, according to the effect wished for. One of these varnishes should always be used to soften the outline, and make the background less hard.

An intelligent artist, who, after a little practice, is able to utilize these simple methods, will be surprised at the results he gets. Besides, what I have said about copies in particular, applies equally to all bad negatives. There are times when it would be very desirable to be able to render, by means of one of these methods, if not perfect, at least satisfactory, a negative which would have been judged unable to give a tolerable print, even submitting it in printing to the most complicated manipulations.



CHAPTER VI.

POSITIVES.

POSITIVES that are taken in order to get enlarged negative from are sometimes imperfect ; it is advisable to give them some retouching which would give great facility for obtaining large negatives. If, for example, there was a scratch on the collodion of the small negative, and that had been touched out with too opaque a color, that would make a white place on the positive. In the same way a very hard negative would give, in the positive, faces too white, and drapery, etc., too black.

The work is done the same as in a negative, only in a reversed way, as if one were touching a print ; the mark of the touching, whether done by brush or pencil, tending to hinder the light going through in the spot. When a positive is being taken, the parts not receiving light remain perfectly white—that is to say, transparent ; in copying this positive, all these transparent places are at once penetrated by the light, so that all effects existing in the original negative will be exactly reproduced in the enlargement. It will, then, be easily understood that by touching on all these transparent places on the positive, the defect will be got rid of as it will be wanted—defects, besides, which it would be impossible to remove on the enlargement. It is only under these circumstances that I advise retouching on the positive ; because, if the original negative is perfect, and also the positive from it, no touching will be required.

It is even better not to touch a small negative that is going to be enlarged, but to do it all on the enlargement, that being easier and quicker. If the positive requires much touching,

it is best done on gum. The negative, when fixed and washed, is covered with the following solution :

| | | | | |
|-------------|---|---|---|----------|
| Gum arabic, | - | - | - | 6 parts. |
| Water, | - | - | - | 100 “ |

If the positive is to be kept, it is better not to gum it, but varnish with a retouching varnish. I should not advise to use hard varnish. As there comes sometimes a sharp line of demarcation where the brush stops, this line is never visible on the prints, and is hardly seen on the small negative ; but on the enlargement it might show very much, and necessitate much labor in touching out. Still less should emery powder or cuttle-fish be used, which always give lines ; all these means will be in this case completely eliminated.

The touching should be done with great moderation. The half tones required must be put in on the positive, leaving intact those parts which have been touched on the negative. It must be borne in mind that the negative is worked for obtaining the lights, and the positive for obtaining the shadows—that in the latter, in short, the effect is direct ; the work will be, consequently, easier, as every touch shows the produced effect. The touches should be a little less deep in tone than the negative.

Among all the methods that I have described for the improvement of negatives, the retoucher will select the one which appears to suit him best.

CHAPTER VII.

ENLARGEMENTS.

It has not always been usual to touch enlarged negatives, and each print had to undergo a long and tedious operation, which, after all, very often gave but poor results. Besides, the color of the touches always remained the same, and as silver prints sooner or later always fade or turn yellow, the results were very bad. It will be found always best to do the touching on the negative.

The best negatives for this kind of work are very thin and transparent ones—that is to say, it is much better to have an under-exposed negative, provided it is not hard, than one full of detail, but fogged by over-exposure.

Either gum or varnish can be used. The retouching should be done boldly with long lines, endeavoring to give an even surface, without at first going too much into the modeling. The shadows should be carefully kept, only going over the too transparent spots which are reproduced from the small negative. In an enlargement from a small photograph, the texture coming from the original must be eliminated by means of the pencil or the brush. Some touches largely done with a big pencil will draw some lights in the hair, the outline of the eyes will be sharpened, the pupil rounded, the lips accented—in fine, the lights will be put in; but in this case it will be better not to work in the same way for these large negatives as it is usually done for the small ones. It would take a very long time to produce the necessary effect by means of the pencil alone. The best way will be as follows: Take a sheet of very fine tracing paper, or papier mineral, damp it with a sponge, and having run a line of gum round the back of the

negative, stick the paper to it and let it dry. When dry, the paper should be perfectly flat and smooth, and will give an excellent surface for touching on. Proceed to touch as on ordinary negatives, with the stump and black-lead powder, softening down the hard shadows, taking care always to keep the half tones. This can all be done in a few minutes by a practiced retoucher, and as it is not difficult to do, only requires a little habit and taste.

The lighting of drapery is done in the same way, the lines of the folds strengthened, always keeping a gradation of tones. The shadows should be left as much as possible alone, as very little retouching is necessary on them. When the negative is transparent, and not much intensified, the tracing paper alone softens it very much. It will be seen that I here recommend what for small negatives I advised should not be done. The greatest pains should be taken to get small negatives that require as little touching as possible, because work that is done on the back of the glass gives to small prints a soft and mealy appearance, which is very unpleasant. But when we come to enlargements, however good the negative is, there are always portions of it that require some touching—either lights that are not light enough, or shadows that are too hard, according to the value of the original. It is, therefore, much better to have to correct parts that are too transparent, rather than those which are too opaque, and the thickness of the glass is not appreciable in large negatives, and touching can be done on both sides of the glass without any loss of sharpness and vigor being apparent in the print.

The Hance ground-glass varnish may be used instead of tissue paper, especially if the glass on which the negative is taken is not quite flat, and worked on in the same way with a stump. The effect may be judged of by looking through the negative with the collodion side toward the eye.

Both sides may be varnished, if required, with Hance's varnish, as the touching is more easily done on this ground surface, and a greater softness is produced.

These methods will be found successful, provided the negative is thin. Its density should determine which plan is to be followed—in fact, it is a good way to decide beforehand that the negative shall only give the dark shadows and half tones; that the varnish or tissue paper shall give the whites; that the stump or pencil shall give the highest lights. The result will thus be obtained in a far simpler and better way.

But where there are large, hard negatives, neither of these methods is feasible. They must be treated as I have recommended that hard negatives should be. The whole of the print will not be so harmonious, though obtained with greater difficulty; for I repeat that retouching done as I have described, and on special kinds of negatives, offers no difficulty, and enables one to get an excellent print even from a very small and very bad original.



CHAPTER VIII.

LANDSCAPES.

IN landscapes, the sky is very often not light enough; according to the moment when the negative has been taken, the detail of foliage or building is somewhat lost on it, while a more opaque sky would improve the whole and give more relief. This is what should be done: After the negative is varnished and dry, go round the edge of all the picture part, whether foliage or buildings, with a brush and yellow paint, (Gamboge), taking care to keep all the details without covering any of them. The yellow will be mixed with a little gum and glycerine. When the outline is drawn, cover all the rest with a large brush. The same thing should be done also on the back, so as to remedy any inequality in the color if it has been put on too thin. Besides, I advise not to put it on too thick, for fear of its splitting up, and carrying away the collodion film with it. The following formula is also very good:

| | | | |
|------------------------|---------|-------|--------|
| Spirits of turpentine, | - | 1,000 | parts. |
| Bitumen of Judea, | - - | 100 | " |
| Wax, | - - - | 40 | " |
| Black, | - - - - | 20 | " |

Ordinary asphaltum varnish, rubbed well with finely levigated lamp black, and thinned with spirits of turpentine, will do equally well.

Brushes used for this work should be kept in a bottle containing a little turpentine. The bottle of varnish must be well corked to prevent evaporation.

A print taken from a negative treated in this manner will have a perfectly white sky, which will have a hard and disagreeable effect; it must be tinted afterward in printing, taking care to keep the horizon line lighter than the rest; or even some clouds may be printed in from another negative; the print will be softer and the effect more artistic.* It is also possible to get clouds without any double printing by putting tissue paper on the back of the negative, and drawing some clouds on it. Some transparent parts should be left to give effect. Where touches have been put on too dark, they are easily removed by rubbing with a little crumb of bread. This does not require very fine work; the thickness of the glass will soften down what may appear too coarse. By following this method there is no risk of spoiling the outlines, and, what is of great importance in winter, the printing does not take so long. Indian ink may be used instead of the stump, as well as benzole varnish instead of tissue paper.

In landscape negatives, as well as in other negatives, all hard shadows should be softened, and the lights strengthened; but all the work should be done on the back of the glass. In foliage negatives, taken with a bright sun, the nearest trees are often wanting in detail, while the more distant ones are quite sharp. Prints from these negatives have an unpleasant effect, the different lines of distances being too distinctly marked; this may be improved by touching with a brush, not too pointed, and Indian ink or blue, representing some leaves according to the lights which are already indicated. It is impossible to distinguish the trees retouched in that way from the others finally obtained on the negative.

Finally, if there are any strong lights to be put on negatives for obtaining effects of snow, it is best done on the back of the negative, either on tissue paper or white varnish.

The same thing may be done in negatives of clouds which are sharply lighted by sunlight. If the shadows are too transparent, and the lights too hard, put in some half tones, and

* *Printing-in Clouds*, by Karl Klauser, page 71, *American Annual of Photography for 1887*, Scovill Manufacturing Co., Publishers.

remove the varnish from the lights. If, on the contrary, the light parts are weak, strengthen them either with a stump or brush, and remove the varnish from the shadows. For positives and enlargements the same work has to be done, and always in the same way.

It will be seen, then, that in the art of retouching negatives it is only in the first step that any difficulty is to be met with, because, being the most important, all the rest follows from it, and is, so to speak, only the same thing differently applied. Therefore, with the knowledge of these few various methods, and a little taste and use, one may always be certain of getting good results.



RETOUCHING GELATINE NEGATIVES.

CHAPTER IX.

PREPARING THE GELATINE NEGATIVE FOR RETOUCHING.

THE first and most important operation to be carried out is to prepare the surface of the negative so as to enable the pencil to bite. There are two methods of doing this, either of which may be made use of. The first is to roughen the varnish by an abrasive powder—finely powdered pumice stone, such as is to be purchased at many drug stores, being most preferred. It is important that the right material be purchased, there being a coarser and rougher kind made for the use of cabinet-makers, which is quite unsuitable and would scratch the negative. It is employed by putting a pinch, or dusting a small quantity out of a muslin bag upon the place to be worked upon, and then rubbing it with the end of the finger with a circular motion till the surface is deadened, and a tooth-like fine ground glass is given. The entire absence of gritty particles must be insured or minute scratches which would ruin a face would be the result. This method enables the greatest amount of opacity to be produced by the lead laid on, and hence is best for those negatives where large masses of bare glass have to be covered.

The second method to be described may be used in the majority of cases, and the abrasive method only occasionally, or the latter may be made use of entirely. We recommend the second method, with the very occasional employment of the other. The formula for the composition to be used is gum dammar, 20 grains; Venice turpentine, 5 grains; turpentine, 1 ounce. The gum is to be powdered and the mixture well agitated for a few minutes; it will then dissolve quickly, and the Venice turpentine will easily liquefy and mix with a little

shaking. If any difficulty is experienced in getting true Venice turpentine it may be replaced by one-half of its weight of ordinary black resin. A drop of the solution is placed upon a small pledget of cotton wool, and rubbed for a moment over the surface to be worked upon so as to leave a mere visible trace behind (if too much be put on the surface will be too sticky or tacky). The negative is placed aside for a few minutes and is then ready for use, and a number of negatives may be done one after another so as to save time. A score of them may be treated in a couple of minutes, while with the pumice stone process each negative occupies perhaps half a minute or more—a length of time which, when many require to be treated, becomes a serious item.

The S. P. C. Retouching Fluid, especially prepared for gelatine work, finds here its most useful application. Most retouchers use it upon the unvarnished negative. If after retouching a proof be taken, and additional retouching is found to be necessary, the negative after being varnished and prepared with the fluid, can again be retouched.

An important point to be considered with regard to this treatment is: Does it injure the negative or render it liable to crack? The infinitesimally small quantity of gum left behind after the rubbing is not likely to harm any varnished surface, but to render the matter entirely free from doubt we have made inquiries among professional photographers who have employed the plan, and we have ascertained that, at any rate in five years, which was the oldest case we could trace, no harm whatever had occurred to the negative. Hence we may safely subject the most valuable negative to the process without any fear of danger.

Some retouchers make a special varnish which requires no after treatment to enable the pencil to bite, but our experience of such is not favorable. We do not consider them likely to be so durable as other well-known, recognized negative varnishes, and the saving of time is so very slight that it does not counterbalance the inconvenience of having two kinds in use—one for negatives to be retouched and one for ordinary work—

and they possess no other advantage over the methods we recommend.

We know one gentleman who possesses a touch so fine that he is able to retouch upon the dried film of an unvarnished negative, and we have seen one of a group where a large number of faces were so retouched by him; but this is a mere *tour de force*, not to be attempted in ordinary practice, and only made use of by the artist in question under unusual circumstances.

We conclude this part of the subject by describing a method suitable for occasional employment by any one who wishes to improve a negative and has no special materials at hand. It is simply to dilute ordinary negative varnish with about an equal part of alcohol, pour on the negative *cold*, and allow to dry spontaneously. If the right proportion of alcohol be employed a surface of the most exquisite delicacy is obtained, but of rather too fragile a nature for ordinary workers. It possesses the advantage of being able to withstand a second coat of varnish applied with heat in the ordinary manner, and thus secures the retouching from all danger, with even the utmost amount of hard printing. On this latter account it may, at times, be of great usefulness, the other methods not allowing of any fixing of the pencil beyond that of mere surface nature, and for this reason we may give a little more fullness of details, the gentleman who communicated them to us informing us that he employed this method for one or two years, and liked the surface better than any he had ever worked upon previously.

The great point is to have the varnish diluted to the exact strength, and this can only be found by experiment. If too strong the varnish dries too bright; if too weak it leaves a dead and rotten surface, easily scratched, and taking too great a hold of the black lead. Further, when a negative is underexposed or forced in the development, the film has a different texture and requires a modification of the varnish, greater strength being then needed. Instead of thickening the varnish, a second coating—always cold—will almost, but not quite, answer as well.

The drawbacks to this process are the nicety required in adjusting the strength of the varnish and the great tenderness, even at its best, of the surface, which should be exactly analogous to the gloss of an egg-shell, and is most beautiful to work upon but for one defect, a special pencil being necessary.

Keeping to the mechanical aspect of the subject, we may now describe the pencils to be used—the greater desideratum being one with a tough texture, and capable of taking a fine, hard point. Such a one is the best octagonal black-lead pencils of Faber, which in contrast with many are, as a retoucher once observed to us, “almost capable of doing the retouching themselves.”

It is desirable to have three or four different degrees of hardness of pencil so as to suit every class of work, the HH, H, F and HB being the most suitable. The H is for general work; the HH (the hardest of the four) for very fine and delicate execution and where little labor is required. The F and HB are suitable for heavier penciling when the shadows are heavy and considerable opacity is needed. It is customary to point them in a manner quite different from what one is usually accustomed to. The lead is laid bare to the extent of almost an inch and a more or less fine point given to it, according to the negative under treatment.

When extremely fine work is to be executed, the American retouchers give preference to metallic pencils, a very soft composition of several metals, but still harder than the hardest graphite, allowing the most delicate work to be done.

These pencils are fashioned into sharp points by rubbing them over flour of emery or crocus paper.

CHAPTER X.

THE EASEL AND LIGHTING.

HAVING now arrived at our surface for penciling upon and our pencils for working with, it is time to describe the stand for holding the negative, usually called a "retouching easel." All that is needed is a sloping board with a central aperture, and sustained at a proper angle by a leg or strut. From this as a beginning, are built, with greater or less convenience and variety of adjustments, all the more expensive and elaborate stands. Some contrivance is required to keep negatives of various sizes in their places, which is often done by a series of frames fitting one into the other. The simplest and, we think, the best arrangement of the kind we are acquainted with is formed by means of a slight bar placed across the whole width of the stand, with grooved side pieces attached to clip the stand and retain the bar in its place. The bar is thus movable upwards and downwards, and clamped by the simple act of drawing one end a little downwards, and so tightening its hold upon the stand by means of the groove. It is also necessary to prevent the negative from receiving any light upon its upper (the prepared) surface, and this may be done by suspending a piece of black velvet, or even brown paper, over a wire or other support fastened to the stand. It will be found much better not to make this easel too diminutive, as it is apt to cramp the hands if sufficient room be not allowed.

The light is to be thrown upon the negative from below, and upon its due modulation depends much of the success with which the negative may be finished. There is much discrepancy of opinion among retouchers as to the kind of light to be employed, some preferring artificial, and others not caring to

work at all if they cannot have daylight. Very possibly the preference for artificial light may be due to the fact that so many photographers find it easier to work at their negatives when their day's work of negative producing, etc., is over, and they can keep to their pencil without interference, there being nothing so conducive to bad and uneven work as frequent interruption. When daylight is to be used, the easel must be placed in front of a window commanding a view of the sky, and under the aperture should be placed a small mirror, so arranged by means of a little packing that the retoucher, looking through the aperture, can see reflected in the mirror the sky in front of him.

For some negatives it is sufficient to place a piece of white paper in place of the mirror, while most others will require a piece of obscured glass, placed either between the mirror and the sky or between the negative and the mirror, as may be found most convenient—taking care, if the latter method be adopted, not to place the glass too close behind the negative or the grained surface will interfere with nicety of touch.

Those who employ artificial light generally prefer to have a slight blue tinge imparted to it to soften the heating and irritating effect which accompanies the flame of gas, etc. An ordinary kerosene lamp is preferred by many, but we find a good fishtail gas burner, fastened to a small stand, to be much more handy, and equally useful—the former, of course, being preferred by those who have not gas connections at hand. The blue tinge may be produced by procuring an ordinary plain bedroom water-bottle and filling it with water, and throwing into it a brushful of indigo color. This, placed in front of the light, softens and cools it in a most pleasant manner.

CHAPTER XI.


RETOUCHING DETAILS.

THE negative being placed on the frame, as described, the light should be regulated according to its density—the greater the density of the negative the stronger the light required—taking care always to use the lowest degree of illumination consistent with the complete visibility of all detail and half tone. If too strong a light be used, the retouching will show more forcibly than appears in the negative, and would ruin its delicacy. The aperture in the retouching easel should not be too large, or there will be a flood of light running into the eyes that will not only dazzle and tire them, but render the lighter and more delicate tones invisible. The plan we adopt is to have a sufficiently large aperture to see the greater part of a *carte* negative, for instance, and to diminish it while working by placing on the negative a piece of black card-board in which a hole about an inch in diameter has been cut out. The pencil is to be pointed in the manner described, the final “sharpening” being best given by a piece of emery paper or cloth not too fine, a little care being necessary to avoid breaking the long and fine point. The easiest and surest mode is to work the point by repeated strokes away from the body, and not to rub it sideways or backward and forward. This hint will be found very useful, as the breaking of half an inch of point is very irritating. We have not had much experience with “ever-pointed” leads, our preference being for the ordinary make of black-lead.

Our mode of practice is to take out of faces all freckles and marks, blotches of unequal color, etc., first, and then very carefully to make the smallest possible amount of alteration in what is usually termed the “modeling”—that is, softening

very heavy shadows and increasing the prominence of some of the leading lights. This is done by delicate "dabs" or dots, so to speak, with the point of the pencil, which must be made of the right intensity at once, as the depth cannot be increased by successive washes of color, as in painting, though if the retouching be done in very fine dotting or stippling, extra depth may be got by carefully filling in between the first pencilings.

The terms "stippling" and "hatching" as they are often employed, may be briefly described as dotting and lining respectively. When there are transparent parts requiring a considerable amount of intensity given to them it will be found next to impossible to do it at once, and then the only plan is to make the first retouching upon the *roughened varnish* as deep as possible, to soften by the aid of alcohol vapor, and then to heat strongly. This will fasten the retouching and allow another coat of varnish, quickly applied, to be given. After the spots are all taken out by stippling, the modeling may be done by hatching, making small lines only, as regular in size and distance apart as possible, and as much as can be done causing them to follow the lines or contours of the features, or those particular facial developments that are being worked



upon. It is important that the hatching should be done in a regular manner, or a very scratchy and uneven effect will be produced. Great care must be taken to avoid crossing the lines, or making two strokes touching one another, this being

a fertile source of "lumpy" or "scratchy" work, as it is forcibly called.

It will be found of great use, if not an actual necessity, to have a magnifier for especially delicate work—not to be made use of from beginning to end, but merely for particular portions of the work, and to aid a general scanning of the whole when completed, so as to pick out any unevenness or roughness.

If used all through it causes the work, strange as it may appear, to be less real and flesh-like, and, we may almost say, less delicate. The glass should be of good width, so that both eyes can be used, and it is better if it can be affixed to a permanent support which will hold it at one distance from the negative; and this will materially lessen the fatigue of the eyes in using it.

The hatching may be suitably begun at the forehead and finished at the lower part of the face, working from the highest lights to the shadows, and not *vice versa*. We do not intend to enter into a description of the anatomical development of the face, but, instead, we say, go to nature. Every face will impart hints as to the leading lights and shadows under varying modes of illumination. A gentleman who was one of the earliest of retouchers in this country used to make a point of scrutinizing his own face in the mirror, observing the disposition of high lights and shadows under every possible variety of illumination, and he recommends the method still as being better than all the books in the world. To the younger members of the profession we, apart from its entire desirability from other points of view, strongly recommend a study of drawing; the benefit would be great in many ways.

We conclude by pointing out some alterations which may be made or avoided with advantage. One of the commonest faults of a photograph is the stern or "cross" expression so frequently seen, which is caused by a too strong light, or it is the natural expression of a face at rest. One of the chief seats of this expression is between the eyebrows. It is not caused by the perpendicular line or lines, more or less pro-

nounced, always seen there in persons somewhat advanced in life, but is produced by the contraction of the eyebrow, which at the end nearest the nose will be found, when under this expression, to have taken an angular form, and produced a decidedly darker shadow underneath in the orbit. If the corner of this angle be taken off, and the heavy, dark shadow be slightly lessened, the effect at times is almost magical; and yet any one can see, by looking at a retouched negative, that very few retouchers are aware of this simple expedient, it being generally thought that the upright furrows cause the frown.

It is generally advised to heighten the toning of the eyelids. We can only say, except to such experienced artists as need no advice from us, "do not touch them," for in ninety-nine cases out of a hundred the face gets spoiled by such work. That portion of the cheek nearest the nose should be most carefully and thoughtfully done; there is often a delicate shadow which is liable to be taken out by the unskilled retoucher with the effect of producing a swelled cheek. The line often found running down from the wings of the nostrils should be carefully lightened with the aid of the knowledge which would be obtained by a slight study of the artist's own face in a mirror. The difference between a smile and a sneer is caused by an almost imperceptible difference in the shading of this furrow that cannot be conveyed in words.

Finally, there is the corner of the mouth, where much may often be done if it be borne in mind that in a smile the corner of the lip is slightly turned up, and with a serious, grave or crying expression it takes an opposite direction. The hands may often be improved by taking out the swollen veins they frequently present in the photograph, though it often happens that this can only be done on each individual print.

We believe our instructions, if attended to, will be found to present nearly all that is necessary to learn—beyond what experience alone will teach—to enable any person to become a proficient retoucher.

CHAPTER XII.

HINTS FROM THE GERMAN METHODS OF RETOUCHING.

The late Johannes Grasshoff, in an elaborate work on Retouching, devoted mainly to the æsthetic side, has also described its technical qualities. A few points, which he therein makes, may not be uninteresting to the general readers of this little book.

Most of the German photographers, to the present day, resort to "retouching the original," that is, to rendering certain parts of face, arms or hands more impressible for photographic surfaces than they are ordinarily found to be. Powdering red hair and beard, darkening very light blond eyebrows or mustaches, retouching birth-marks, scars or other defects with stump or brush, belong to this class of work.

Retouching the negative is generally done upon unvarnished films, prepared with a medium similar to the S. P. C. retouching fluid; and if a second retouching after varnishing is desired, great attention must be paid to a proper composition of the varnish. Seed lac dissolved in alcohol, with due proportions of sandarac and Venetian turpentine, being used by many with good success; but Flandreau's S. P. C. retouching fluid is unsurpassed as yet.

When retouching is done on unvarnished negatives, the film must be absolutely dry, or the pencil will refuse to work evenly, and will therefore make gritty marks. The parts of the negative to be retouched upon should not be exposed to moisture; even breathing and handling with greasy fingers must be absolutely avoided.

Very dry varnish is naturally hard, and according to the state of the varnish the grade of pencil must be chosen. The Siberian lead is principally used, although the American method of retouching with metallic points is becoming popular.

When excessive densities are wanted, which are not procurable with the pencil, brush and India ink are resorted to in many cases, although neutral tint mixed with Van Dyke brown, resembling the color of the negative deposit, is more generally used. Blue allows too much light to pass, yellow and red are too non-actinic for negative work, although carmine is used occasionally to cover large surfaces, to make them less actinic.

Large heads are retouched on the glass side of the negative, by means of stump and powdered graphite.

An important part of retouching in Germany is considered the reduction of undue density ; that is, the softening of single parts of negatives when too much developed for harmonious effects. A fine linen rag, moistened with alcohol, is steadily rubbed over the parts to be reduced, or if they be very small, a pointed piece of flexible wood is used instead. With long-continued friction the superfluous silver deposit is rubbed off, making the negative less intense, according to the desire of the retoucher. This method is preferable to chemical means, but requires time, patience, and skill.

In landscapes and interiors a great deal of retouching is done ; high lights introduced where they are wanted ; details carried out, and general harmony established.

The German mode of working does not essentially differ from that of other nationalities, but more attention is given to the retouching of landscape negatives, perhaps, and better artistic effects gained in that country than elsewhere.

APPENDIX.

RETOUCHING LARGE HEADS.

PHOTOGRAPHY has made considerable progress during the last few years. A high sensitiveness of plates and the rapid action of newly-constructed objectives, have contributed mainly to the perfection of our technical work ; but these facilities, applicable to every branch of photography, have been utilized by few operators only in the portrait line. Improvements made in æsthetic photography can be claimed merely by a select class, although efforts to do better are generally manifested. To make an artistically good photograph, and make it acceptable to a critical or refined public, requires taste in posing and good judgment in lighting the subject, not to speak of the technical part of the work. Besides all the requirements for a good photographic portrait, a certain amount of hand-work is absolutely necessary, especially with direct large heads. One of the main tasks of the retoucher is the preservation of the general face-character ; all details should be seen in the finished picture, without deep and black shadows, and without, in comparison with them, chalky lights. Light draperies, and the highly illuminated parts of the face, show details, or gradations of tone, in a well-developed negative, and must remain so. The retoucher must improve the negative, where corrections are needed ; by no means should the pencil encroach upon a field, by which finally the negative may be rendered entirely worthless.

To facilitate the artistic work of the retoucher, the technist should make a very large head upon a thin glass plate. If the negative be covered upon the reverse—that is, the glass side—with ground glass varnish, retouching will be much facilitated. Pencils of various grades are necessary to shade in various ways, as the negative will require ; often the stump and finely

pulverized graphite may be resorted to. With them large surfaces may be bleached off, and a beautiful harmony given to the photograph. Wrinkles, deep lines, the pores of the skin, and accidental faults may be softened, so as not to interfere with the general effect, to do which, light and shade must remain well balanced. The very fact that large heads are never viewed in close proximity to the eye, allows the retoucher to take certain artistic liberties with the subject before him. Negative retouching on the film side of the plate is very apt to smooth whole surfaces of large heads, in such a manner as to lose all details, giving nothing but well-polished planes, without any undulations, no matter how well they were rendered in the negative. Nothing but a loss of time, labor, and, possibly, of a good negative, can result from poor retouching.

The portrait painter obtains flesh effects with colors, but they are not available to photographers, and as our portraits are rendered in nothing but black and white, with intermediate gradations of tone, any possible faults of the negative, and strong shadows, thrown by projections, can only be overcome by the retoucher's pencil. The positive on paper must be attended to with equal care. Mechanical faults may be taken away, and high lights be toned down. In no way should the positive retouching be coarse or hard.

A well-posed and lighted large head, when the plate is technically well treated, may finally become in reality a work of art.

The great efforts made in all quarters to present photographs to the public which, besides other merits, have artistic value, make it fair to suppose that every little hint given to accomplish the desired results will be accepted by the diligent photographer as well as the conscientious retoucher.—FRITZ EILENDER, *in the American Annual of Photography for 1887.*

RETOUCHING GELATINE NEGATIVES WITH RED CHALK AND BLACK CRAYON.

To COVER the strongest lines and spots of gelatine negatives superficially, I have of late used black crayon—Faber's black chalk points No. 1 and No. 2, also the best Couste's crayon pencils.

Grinding down the film I have abandoned altogether. I merely roughen it by rubbing it with a piece of calico. To avoid finger-dirt or greasy matter being carried upon the plate, which would eventually destroy the surface for drawing purposes, it is best to enclose a tuft of cotton in the calico and tie up the ends. Thus a tampon with convenient handle is secured, well adapted to do the work, without exposing the surface of the plate to finger-marks. When by long-continued rubbing, gelatine powder clogs up the fabric, it may be cleaned by striking it over the edge of the glass plate.

Crayons should be finely pointed and dexterously handled. To use them with force is required only when drawing in strong details, high lights in eyes or on jewelry, for the contours of laces, linen, etc. The handles belonging to Faber's "B" and "C" points are too heavy and clumsy, and allow easy breaking of the pencils. It is far better to wind a piece of moistened albumen paper spirally around the pencil, and stick the ends together. This furnishes the best handle I know of.

All crayon retouching is usually rather coarse, and whenever it is necessary should be blended down with paper stump or fine erasing gum, just as is done with crayon drawings upon paper.

When it is desirable to lighten up large surfaces like the dark side of a face in Rembrandt style, or to brighten the shadows of a neck, I dip the point of a soft paper stump in crayon scrapings or black pastel color, lay the color on the negative lightly, and without using much force, blend it carefully and easily over all the various places, and rub in gradually.

Crayon powder intensifies somewhat more than it appears to do. Pastel black is of much purer gray tone.

Another remarkably good material for the brightening up

of large planes is extremely fine red crayon (Rôthel), which possesses great intensifying properties. I do not use the ordinary kind, but that manufactured by La Franc & Co., of Paris. Coute's red crayons are less appropriate for blending, but are better for putting in points and high lights. Red crayon can not very well be employed for brightening up face shadows, as its color will conflict with that of the lead-pencil afterwards used, but in general landscape work, and in frequent cases in portraiture also, it will be found to be a most useful material to work with.

Naturally none will attempt to cover whole surfaces with uniform layers of crayon, especially upon under-exposed plates. With them only a detailing of the shadows is required, or to create harmony between them and the brighter lights, while with other negatives the deeper shadows may require a more thorough covering. The difference in the color of the material used facilitates judging of the intensity desired to be produced.

Negatives retouched with crayons or crayon powder require a protecting varnish. Red crayon adheres, however, so tenaciously to the negatives that even de-varnishing a retouched negative cannot remove it entirely. Red crayons can be used for retouching upon varnished films as well, also when prepared with the usual media, the compound turpentine retouching fluid, or its modern rival, castor oil, and particularly with great advantage when, after varnishing, a plate requires corrections, like the brightening up of the hair or beard.

In ordinary practice graphite is used for that purpose. But varnish never adheres well to graphite, and an intensity like that produced by red crayon can never be obtained with it, besides no additional drawing can be effected upon a graphited ground.

It is preferable to varnish the negative after the crayon retouching, the sketch for the whole work, has been finished, and then continue to work in the usual manner. A direct application of the retouching fluid upon the unvarnished film will obliterate the crayon work.—ANTON BAUMGÄRTNER, *in the American Annual of Photography for 1888*,

RETOUCHING THE NEGATIVE BY CHEMICAL MEANS.

PRESUMABLY there are but few photographers, professional and amateurs as well, who are acquainted with the nature of chemical retouching; but there are certainly a great many more who know nothing at all about it, hardly the name of the method. Still it is such an important and efficient factor in the making of faultless and artistically finished negatives, that it must be wondered at why so little of it has been mentioned publicly.

Chemical retouching is far more important to the landscape photographer than to the portraitist. Let us, for instance, consider the effects of a forest scenery, with broad and open vista, then a white building or interior view; there are in frequent cases such enormous contrasts, which, to harmonize and to put the negative into printable condition, chemical retouching must be resorted to.

To communicate to your readers my experience in this new field might possibly be of interest to many of them.

Chemical retouching is actually nothing else but a local reduction or intensification done with brush and the requisite media. All the solutions serving these purposes may be employed here. Especially useful are the red prussiate of potash or ferri-cyanide of potassium in combination with a solution of fixing soda; also the green double salt potassio-ferric oxalate with hypo, and chloride of iron in neutral solution.

The application of these reagents is done in the following manner:

Of either of the first two substances prepare five or six solutions of various strengths, ranging from half per cent. to one of perfect saturation, and of the hyposulphite of soda one of circa 15 per cent. Keep the former in small phials and the hypo in suitable trays. Several fine camel's-hair brushes of different sizes and widths are requisite, and also a retouching desk, not, however, one with an inclination of 45 degrees, as we use in ordinary retouching, but so constructed as to lay the negative upon it horizontally, else the liquids when applied would run, preventing clean and accurate retouching.

Before retouching can be commenced, the negative is to be laid in pure water for fifteen minutes, to soften the gelatine film, and then be removed for five minutes to the hypo solution. The plate taken up is then well drained and all still adhering liquid touched up with clean, white bibulous paper, or the film wiped with a clean linen or cotton cloth, and placed upon the retouching desk, the reflecting mirror set at such an angle as to give it full illumination.

The phials containing the solutions should be kept at the right hand, and at the left two large jars of water.

Two brushes, corresponding in size to the dimensions of the surface to be reduced, are then selected, one of them taken with the right hand, dipped into the reducing solution, and drawn over the place uniformly, but rapidly, and with precision, always commencing with the weakest solution. The left hand holds the second brush; with it and pure water the outlines are washed once to prevent sharp lines of demarcation. The action of the reducer becomes perceptible within a few seconds. Too strong solutions, in the first instance, should be carefully avoided. They may act too forcibly, causing incorrigible errors, resulting in the loss of the negative.

Has the reducing agent not acted sufficiently after one application, it should either be used repeatedly or a more concentrated solution be taken instead of it, washing the outlines, however, after each application, with the water brush. It requires but little experience to reduce, in this manner, parts of the negative with distinct outlines, when the water brush can be dispensed with. To produce a gradation of tone or blending off, sharp lines are avoided by washing with the water brush repeatedly, cleaning the brush in pure water after each application, a second touching with the reducing fluid, and further advancing into the plane to be reduced, with careful washing the outlines with the water brush after each application. This mode of working may be continued till the desired effect has been *nearly* reached. By no means should reducing be carried any further. As the action of the chemical will continue for some time, even after placing the nega-

tive in the water, washing the reduced part with the brush, and rocking the plate vigorously in a tray with pure water, is absolutely necessary to arrest its action.

If it is required to reduce surfaces with sharp outlines, all adhering water must be carefully removed from the plate, and the brush moistened but sparingly with the solution, that is, just enough to shape it into a sharp point, with which outlines can be followed accurately. When the action of the reducer becomes perceptible, the plate must be at once immersed in water and well brushed. But when the effect of reducing is to be a tone gradation or blending off, the plate, after having been soaked in water and hypo solution, is well drained, laid upon the desk, and, by blowing sharply upon the place to be reduced, all water dispelled from it, so that it may appear almost dry. Then apply the brush, moistened with potassium-ferri-oxalate solution, drawing it first over the outlines, and blending with the water brush afterwards. The action of this solution gives more delicate effects, because it is slower and more controllable than the ferri-cyanide of potassium. Reduction becoming visible, repeat touching with a broader brush and the same solution, advancing at the same time more towards the darker portions, and continue to do so, advancing the brush towards the outlines, and tempering the effects produced by means of the water brush. Finally, the plate must be washed for at least four hours in several changes of water, or over night.

There may be occasion to retouch very small, sharply-defined places, often, perhaps, to brighten up solitary spots or lines. To do so well the plate, after being soaked as usual, must be freed as much as possible from adhering water, and the part to be brightened up be touched with a sharply-pointed brush and concentrated solution, to produce effect at once, and without repetition of the operation.

All the reducing solutions mentioned give satisfactory results; but, it should be remembered, ferri-cyanide of potassium acts most energetically of all, and very rapidly, hence great care must be observed with it.

Much slower is the action of potassio-ferric oxalate. Chloride of iron is the slowest of all, and should be employed only in strong and neutral solutions, the plate be softened in the water, but not in the second or the hypo bath.

With chloride of iron the silver deposit is not dissolved, neither is it destroyed. The metallic silver is merely transformed into chloride, a process much accelerated when to the neutral solution, of acid reaction, a small amount of hydrochloric acid is added. When inadvertently the reduction with iron has gone further than intended, the original intensity of the negative can be restored by re-developing with ferrous oxalate.

With some negatives, certain portions may need reducing, and others intensification. In such cases, the negative plate, after the desired reductions have been accomplished, must be thoroughly washed for at least twelve hours, to remove from it the last traces of hypo or iron, and, without being washed, laid upon the retouching desk, the adhering water dispelled from the parts to be intensified, by blowing a strong current of air upon it, and touching it with a strong solution of bi-chloride of mercury and sodium chloride, using at the same time the water brush dextrously, to prevent the forming of sharp outlines. If the mercurialized place is but very small, holding it over the neck of a bottle containing strong ammonia will blacken it speedily. For large surfaces, sulphite of sodium may be used. To keep within outlines it is essential to remove all water from the plate and use the bi-chloride of mercury in saturated solution.

To retouch correctly by chemical means, requires first a steady hand, diligence, patience, and some experience. To be too hasty results often in the loss of the negative; to work with caution and circumspection is essential.

Beginners had better make their experiments with negatives of but little value, for many of them may be spoiled before experience is attained to finish a plate to entire satisfaction. Failures should, however, not discourage; with diligence and

close attention to the work, difficulties will soon be conquered, leading to the production of faultless plates.

The advantages offered by chemical retouching are incalculable.

To mention the poisonous nature of ferri-cyanide of potassium, and particularly that of the bi-chloride of mercury, should not be omitted. The latter, when brought in contact with a cut or abrasion of the skin, may lead to serious consequences; neither should brushes moistened with its solution be pointed between the lips, as artists are in the habit of doing with paint brushes; it is of great danger to the operator.—CARL SCHIENDL, in *The American Annual of Photography for 1889*.

INDEX.

| | PAGE. |
|---|-------|
| Abrading the Surface of the Negative, - - - - - | 29 |
| Applying Cold Varnish, - - - - - | 29 |
| Artificial Light for Retouching, - - - - - | 32 |
| Cloud Effects in Landscapes, - - - - - | 25 |
| Cold Varnish Unsuitable, - - - - - | 10 |
| Condition of Negative, - - - - - | 12 |
| Cross Expression, How to Cure, - - - - - | 35 |
| Drapery, - - - - - | 22 |
| Emery Powder in Retouching, - - - - - | 11 |
| Hints from the German Methods of Retouching, - - - - - | 38 |
| Improving Bad Negatives, - - - - - | 14 |
| Landscapes ; Improving the Skies, - - - - - | 24 |
| Lighting the Negative, - - - - - | 31 |
| Magnifying Glass, Use of, - - - - - | 8, 34 |
| Modeling, - - - - - | 36 |
| Obtaining Effects of Snow, - - - - - | 25 |
| Old Faded Photographs, - - - - - | 16 |
| Pencils and Brushes, - - - - - | 7 |
| Positions for Producing Enlarged Negatives, - - - - - | 19 |
| Preparing the Surface, - - - - - | 9 |
| Removing Accessories, - - - - - | 17 |
| Reproducing Daguerreotypes, - - - - - | 16 |
| Retouching Details, - - - - - | 33 |
| Retouching Enlarged Negatives, - - - - - | 21 |
| Retouching Frame, - - - - - | 7 |
| Retouching Gelatine Negatives with Red Chalk and Black Crayon - | 42 |
| Retouching Large Heads, - - - - - | 40 |
| Retouching the Negative by Chemical Means - - - - - | 44 |
| Retouching Varnishes, - - - - - | 10 |
| Shadows Under the Eyes, - - - - - | 13 |
| Specks—How Removed, - - - - - | 12 |
| Swollen Veins on the Hand, - - - - - | 36 |
| Tracing Paper—Its Uses, - - - - - | 21 |
| Uses of Dragon's Blood, - - - - - | 15 |
| Utility of Retouching, - - - - - | 5 |
| Venice Turpentine, Substitute for, - - - - - | 28 |
| Wrinkles, - - - - - | 13 |



The Semi-Centennial!!!

HALF A HUNDRED PHOTOGRAYURES AND MORE

In Series of

Landscapes, Portraits, Figure Compositions, Groups,
Marines, Special Subjects and Copies of Pictures

that will interest and educate Photographers, Professional
and Amateur alike, will be brought out

In the PHOTOGRAPHIC TIMES during 1889.

These series of Photogravures will consist of pictures selected from the best work of American and Foreign photographic artists, professional and amateur. All readers of the PHOTOGRAPHIC TIMES being invited to send in their best results for selection for this purpose.

Special Numbers of the PHOTOGRAPHIC TIMES, like the **Holiday Illustrated Double Number for 1888**, will contain

MORE THAN ONE FULL-PAGE PICTURE,

and there will be occasional illustrations by **other Printing Processes.**

Examine the **Holiday Number for 1888** to judge the style and quality of the illustrations which will embellish the PHOTOGRAPHIC TIMES during 1889.

INSTRUCTIVE READING MATTER by the **Highest Authorities**, including the **Gallery Experiences** of leading **Practical Photographers** at home and abroad. Only the best writers contribute to this journal. Following are the names of a few:

H. McMICHAEL, President of the P. A. of A.

ANDREW PRINGLE, President of the Photographic Convention of the United Kingdom.

ERNEST EDWARDS, President of the Photo-Gravure Co.

Prof. W. H. PICKERING, of Harvard University.

Rev. W. H. BURBANK.

W. H. SHERMAN.

J. M. MORA.

C. W. CANFIELD.

W. JEROME HARRISON, F.G.S.

Prof. W. K. BURTON.

JOHN CARBUTT.

J. R. SWAIN.

Prof. KARL KLAUSER.

CHARLES WAGER HULL.

Dr. J. M. EDER.

G. WATMOUGH WEBSTER.

\$5.00 per year.

\$2.50 for six months.

One month's trial, 50 cents.

Single copies, including the **ILLUSTRATED DOUBLE HOLIDAY NUMBER** for 1888, 15 cents.

The Photographic Times Publishing Association,

423 Broome Street, New York City.

THE
American Annual of Photography

AND

Photographic Times Almanac

For 1887.

C. W. CANFIELD, Editor.

A STANDARD BOOK OF REFERENCE.

It contains five full-page illustrations :

AN EXQUISITE PHOTOGRAVURE, by Ernest Edwards.

A BROMIDE PRINT, by the Eastman Company.

A SILVER PRINT, by Gustav Cramer, of St. Louis.

TWO MOSSTYPES, by the Moss Engraving Company.

197 pages of **Contributed Matter**, consisting of articles on various subjects, by 80 representative Photographic writers of this country and Europe.

Also, in addition to the contributed articles :—Yearly Calendar. Eclipses, the Seasons. Church Days, Holidays, etc. Monthly Calendar, giving Sunrise and Sunset for every day in the year ; Moon's phases ; also, dates of meetings of all American Photographic Societies. A list of American and European Photographic Societies. Photographic Periodicals, American and European. Books relating to Photography, published 1886. Approved Standard Formulæ for all processes now in general use. Tables of Weights and Measures. American and Foreign Money Values. Comparisons of Thermometric Readings. Comparisons of Barometric Readings. Symbols and Atomicity of the Chemical Elements. Symbols, chemical and common names and solubilities of the substances used in Photography. Tables for Enlargements and Reductions. Equations relating to Foci. Tables of Comparative Exposures. Freezing Mixtures. Photographic Patents issued 1886. Postage Rates. All Tables, Formulæ, etc., brought down to date and especially prepared or revised for this work.

Price, per Copy, 50 Cents. By mail, 12c. extra.

Library Edition, \$1.00. “ “

Edition de Luxe, 2.50. “ “

For sale by all dealers, and by the publishers,

THE SCOVILL & ADAMS COMPANY.

THE
American Annual of Photography

AND
Photographic Times Almanac

For 1888.

C. W. CANFIELD, Editor

It contains EIGHT (8) full-page high-grade Illustrations ; and over NINETY (90) Original Contributions, written expressly for its pages, by the most eminent Photographic writers of Europe and America.

THE ILLUSTRATIONS COMPRISE

- A PHOTO-LITHOGRAPH**, showing an improved new process, by the Photogravure Company of New York.
- A PHOTO-COPPERPLATE ENGRAVING** of a Pictorial Landscape Subject, by E. Obernetter, of Munich.
- A MEISENBACH** of "The Old Stone Bridge" by Kurtz.
- A ZINC ETCHING**, from the Engraving, which is itself as fine as an engraving, by Stevens & Morris.
- A CHARMING CHILD PORTRAIT**, by Crosscup & West's improved process.
- THREE MOSSTYPES** of popular subjects. And
- NUMEROUS CUTS, DIAGRAMS, Etc.**, throughout the letter-press.

The "ANNUAL" is a yearly publication wherein the year's progress photographically in the world at large, and especially in America, is summarized, and improvements in theory and practice discussed freely by the prominent workers and writers in this and other countries. In addition, it contains an almanac and calendar ; lists of American and Foreign photographic societies, with their officers and dates of meeting ; a list of American and Foreign photographic periodicals ; photographic books published and patents issued during the year ; approved formulæ for all the photographic processes now in general use ; and the usual tables of weights and measures, chemical equivalents, specific gravities, etc., specially revised and corrected.

The size—royal octavo—and style of binding is uniform with last year's issue.

330 pages of valuable information.

| | |
|----------------------------|--------|
| PAPER COVER, - - - - - | \$0 50 |
| LIBRARY EDITION, - - - - - | 1 00 |

By Mail, 10 cents additional.

The American Annual of Photography and Weekly Photographic Times, for one year to one Address, post-paid, \$3.50.

For Sale by all Dealers in Photographic Materials, the American News Company and its Branches, Books Dealers, and the Publishers,

THE SCOVILL & ADAMS COMPANY.

American Annual of Photography and Photographic Times Almanac

C. W. CANFIELD Editor.

—o FOR 1889 o—

SURPASSES EVEN ITS TWO PREDECESSORS.

The full-page pictorial illustrations are more numerous and superior in quality than have ever before been presented in any **Photographic Annual**, and the reading-matter is in accord with the high standard of the illustrations.

THE FULL-PAGE PICTURES ARE AS FOLLOWS:

- A **CHARMING PORTRAIT** of the beautiful Lillian Russell, from a negative by Falk, printed on the *New American Aristotype Paper*.
- "**WATERING HIS HORSE.**" A characteristic group, by Geo. B. Wood, of Philadelphia, printed in **HIGHEST GRADE PHOTO-GRAVURE**, by the Photo-gravure Co., New York.
- "**YES'M, I'M COMING.**" A picture of the Small Boy. By Gutekunst, of Philadelphia, in his exquisite manner of mechanical printing.
- "**THE ARAB SHEIK.**" A study of Orthochromatic Photography, by William Kurtz, printed by the **MEISENBACH** process.
- A **SCENE IN THE TYROLESE ALPS.** From an original photograph by Charles Scolik. By the Crosscup & West Engraving Co.
- "**THE DIVERS.**" An instantaneous study on a Carbutt plate, reproduced in Meisenbach.
- "**AFTER THE THEATRE.**" Magnesium Light Negative. By Mons. Flammang. Reproduced by Photo-electro Engraving Co.
- "**BY THE SEA.**" An **EASTMAN Bromide** Picture of Coney Island. By E. W. Newcomb.
- THREE MOSSTYPES,**

—)AND(—

SEVERAL OTHER FULL-PAGE ILLUSTRATIONS.

The Standard Formulæ, Useful Receipts, etc., have been thoroughly revised by competent authorities, rearranged and enlarged. This department alone, including, as it does—Yearly Calendar, Eclipses, the Seasons, Church Days, Holidays, etc.; Monthly Calendar, giving Sunrise and Sunset for every day in the year; Moon's Phases; also, Dates of Meetings of all American Photographic Societies. A list of American and European Photographic Societies. Photographic Periodicals, American and European. Books relating to Photography, published in 1888. Approved Standard Formulæ for all processes now in general use. Tables of Weights and Measures. American and Foreign Money Values. Comparisons of Thermometric Readings. Comparisons of Barometric Readings. Symbols and Atomicity of the Chemical Elements. Symbols, Chemical and Common Names and Solubilities of the Substances used in Photography. Tables for Enlargements and Reductions. Equations relating to Foci. Tables of Comparative Exposures. Freezing Mixtures. Photographic Patents issued in 1888. Postage Rates. All Tables, Formulæ, etc., brought down to date, and especially prepared or revised for this work—is worth more than the price asked for the entire book, with its **Dozen Full-page Illustrations**, and innumerable Practical Contributions.

The Price remains the same, \$0 50; by mail 12 cents extra.
Library Edition, . . . 1 00; " " "

THE SCOYLL & ADAMS COMPANY, Publishers.

The Photographic Instructor.

SCOVILL'S PHOTOGRAPHIC SERIES No. 26.

FOR THE PROFESSIONAL AND AMATEUR.

Edited by W. I. Lincoln Adams,

With an Appendix by Prof. Charles Ehrmann.

The most thoroughly practical instruction book yet published and the most complete, consisting, as it does, of the Comprehensive Series of Practical Lessons issued to the students of the Chautauqua School of Photography, revised and enlarged, with an Appendix of over thirty pages, on the Nature and Use of the Various Chemicals and Substances Employed in Photographic Practice, besides valuable Tables of References, etc.

The original Lessons were contributed by such competent photographic writers as

CHARLES WAGER HULL, *Superintendent of the Chautauqua School of Photography*; PROF. RANDALL SPAULDING, *Superintendent of the Montclair Public Schools*; PROF. KARL KLAUSER, *of Farmington, Conn.*; DR. MAURICE N. MILLER, *of the University of the City of New York*; JOHN CARBUTT, *the well-known Dry-plate Manufacturer of Philadelphia*; O. G. MASON, *of Bellevue Hospital, New York City*; PROF. CHAS. EHREMAN, *Instructor of the Chautauqua School of Photography*; and W. I. LINCOLN ADAMS, *Editor of the PHOTOGRAPHIC TIMES.*

Each being an authority on the subject of which he treats.

The Appendix is a complete chemistry of reference in itself, and is invaluable to every photographic worker.

A glance at the complete Table of Contents show the scope of the book :

LESSONS.

- Preface.
- Introduction.
- I. Apparatus.
- II. Management of Apparatus in the Field.
- III. The Dark-room.
- IV. Exposing.
- V. Developing.
- VI. Fixing, Washing, Varnishing, Intensifying, and Reducing.
- VII. Printing on Albumenized Paper.
- VIII. Printing on Various Other Papers.
- IX. Printing on Permanent Bromide Paper.
- X. Artistic Printing.
- XI. Trimming and Mounting the Prints.
- XII. Spotting and Burnishing the Prints.
- XIII. Portraiture.
- XIV. Retouching the Negative.

LESSONS.

- XV. Photographing Interiors and Inanimate Objects.
- XVI. Copying, Enlarging, and Reducing.
- XVII. Orthochromatic, or Color-sensitive Photography.
- XVIII. Transparencies, and How to Make Them.
- XIX. Landscape Photography.
- XX. Stereoscopic Photography.
- XXI. Light and Lenses.
- XXII. Photo-micrography.
- XXIII. Photographing by Artificial Light.
- XXIV. Emulsion Making.
- Appendix on the Nature and Use of the Various Chemicals and Substances Employed in Photographic Practice.

The book is embellished with *Five Full-page Pictorial Illustrations*, besides numerous Cuts, Diagrams, etc., illustrating the letter-press.

Two hundred pages of valuable Reading Matter, uniform in type and page with the other numbers of the excellent series, of which it is the latest issue.

Price, in illuminated paper covers, - - - \$0 75

Price, library edition, uniform with other numbers
of the series, gilt stamp and lettering, - 1 25

For sale by all dealers in photographic goods, or sent by mail, post-paid, on receipt of price, by the publishers,

THE SCOVILL & ADAMS COMPANY.

TWO
THA

COMPLET • PHOTC

BY THE REV.

“The Photographic Negative”

(Scovill's Photographic Series No. 25.)

A PRACTICAL GUIDE

TO THE PREPARATION OF SENSITIVE SURFACES BY THE
CALOTYPE, ALBUMEN, COLLODION, AND GELATINE PRO-
CESSES, ON GLASS AND PAPER, WITH SUPPLEMENTARY
CHAPTER ON DEVELOPMENT, Etc., Etc.

CONTENTS.

CHAPTER.

- Preface.
- I. General Remarks on Sensitive Surfaces, etc.
- II. Preliminary Remarks on Exposure, Development, Fixing, etc.
- III. Calotype.
- IV. Sensitive Surfaces on Glass—Preparation of the Glass.
- V. The Albumen Process.
- VI. The Old Collodion Process, Wet Plates.
- VII. The Collodion Process, Dry Plates.
- VIII. Collodion Emulsion—Collodio-bromide of Silver.
- IX. The Gelatine Process.
- X. Coating the Plates.
- XI. Development, Fixing, etc.
- XII. Paper Negatives—Stripping Films on Paper, Card-board, and Collodion.
- XIII. Failures in the Gelatino-bromide Process.
- XIV. Methods of Stripping Films from Glass Plates.
- XV. Color-sensitive Plates.
- XVI. Black and White Negatives.
- XVII. Instantaneous Photography.
- XVIII. Touching-up the Negative.
- XIX. Photo-micrography.
- XX. Micro-photography.
- XXI. The Transformation of Negatives into Positives.
- XXII. Obernetter's Method for the Direct Production of Negatives from Negatives.
- Index.

It contains a **Meisenbach Frontispiece** of a pictorial subject from a negative made by the author. Full description of his method for making the Emulsion; also, much other valuable information, never before published.

Profusely illustrated with cuts, two full-page pictorial Mosatypes, and more than two hundred pages of valuable reading matter.

Price, cloth bound, with gilt stamp and lettering, \$1.50.

For sale by all dealers in photographic goods, or sent, post-paid, by mail, on receipt of price, by the publishers,

THE SCOVILL & ADAMS COMPANY.

BOOKS

FORM A

GRAPHIC • LIBRARY,

V. H. BURBANK.

“Photographic Printing Methods.”

(Scovill's Photographic Series, No. 22.)

A Practical Guide for the Professional and Amateur Worker.

A volume of more than two hundred pages, profusely illustrated.
Thoroughly Practical.

CONTENTS.

CHAPTER.

- Introduction—Theory of Light ; Action of Light upon Sensitive Compounds ;
Resumé of Printing Processes.
- I. Printing with Iron and Uranium Compounds.
- II. The Silver Bath.
- III. Fuming and Printing.
- IV. Toning and Fixing—Washing.
- V. Printing on other than Albumen Paper.
- VI. The Platinotype.
- VII. Printing with Emulsions.
- VIII. Mounting the Prints.
- IX. Carbon Printing.
- X. Printing on Fabrics.
- XI. Enlargements.
- XII. Transparencies and Lantern-Slides.
- XIII. Opal and Porcelain Printing.
- XIV. Photo-Ceramics—Enameled Intaglios.
- XV. Photo-Mechanical Printing Methods.
- XVI. Various Methods for Putting Pictures on Blocks and Metal Plates for the use of
the Engraver.
- XVII. Recovery of Silver from Photographic Waste—Preparation of Silver Nitrate,
Etc.
- Index.

The only book in photographic literature to-day, which covers this
ground, and it does so completely.

It contains two (2) full-page illustrations, which alone are worth the
price asked for the complete book.

Price, in substantial cloth binding, uniform with
“The Photographic Negative,” \$1.00.

For sale by all dealers in photographic goods, or sent, post-paid, by
mail, on receipt of price, by the publishers,

THE SCOVILL & ADAMS COMPANY.

THE COMPLETE WORKS
OF
H. P. ROBINSON.

The Art and Practice of Silver
Printing. (Third Edition.) Paper covers,
50 cents. Library edition, 75 cents.

Picture Making by Photography.
Finely illustrated. Paper covers, 75 cents.
Library edition, \$1.00.

The Studio: and What to do in it.
Finely illustrated. Paper covers, 75 cents.
Library edition, \$1.00.

Pictorial Effect in Photography.
Finely illustrated. Paper covers, \$1.00.
Cloth bound, \$1.50.

Letters on Landscape Photography,
with Photogravure Portrait of Author, and
other illustrations. Cloth bound, \$1.50.

The Pictorial Effect in Photog-
raphy. Finely illustrated. A new edition
in press, to be ready shortly.

*For Sale by all dealers in Photographic Materials, or sent
post-paid, on receipt of price, by the Publishers,*


The Scovill & Adams Company.

“The Magic Lantern Manual,”

[NUMBER NINETEEN OF SCOVILL'S PHOTOGRAPHIC SERIES],

By W. I. CHADWICK.

Third Edition just issued. With 105 Practical Illustrations.



154 pages, 7x4¾, cloth bound.....75c.

“DRY PLATE MAKING FOR AMATEURS.”

[NUMBER TWENTY OF SCOVILL'S PHOTOGRAPHIC SERIES].

By GEO. L. SINCLAIR, M.D.

Reprinted from “The Photographic Times,” with additions and corrections.

A SERIES OF PRACTICAL ARTICLES ON
Amateur Emulsion Making; The Simple Narration of the
Practical Experience of the Amateur Author.

—IT TREATS OF—

THE EMULSION,

WASHING,

MELTING,

A RAPID EMULSION,

GELATINE,

PREPARING THE GLASS

FOR COATING,

COATING. Etc., Etc.

Royal octavo, leatherette binding.....50c.

Photographic Publications.

Selected from Scovill's Catalogue of Books.

| | Price, Per Copy. |
|---|---------------------|
| HOW TO MAKE PHOTOGRAPHS.—Containing full instructions for making Paper Negatives. Sent free to any practitioner of the art. New edition just out. | |
| ART RECREATIONS.—A guide to decorative art. Ladies' popular guide in home decorative work. Edited by MARION KEMBLE..... | \$2 00 |
| THE FERROTYPERS' GUIDE.—Cheap and complete. For the ferrotyper, this is the only standard work. Seventh thousand..... | 75 |
| THE PHOTOGRAPHIC STUDIOS OF EUROPE.—By H. BADEN PRITCHARD, F.C.S. Paper, 50 cts.; Cloth..... | 1 00 |
| HISTORY AND HAND-BOOK OF PHOTOGRAPHY.—Translated from the French of Gaston Tissandier, with seventy illustrations. Cloth..... | 2 00 |
| AMERICAN CARBON MANUAL.—For those who want to try the carbon print- ing process, this work gives the most detailed information. Cloth..... | 1 00 |
| MANUAL DE FOTOGRAFIA.—By AUGUSTUS LE PLONGEON. (Hand-Book for Spanish Photographers.) Reduced to..... | 1 00 |
| SECRETS OF THE DARK CHAMBER.—By D. D. T. DAVIE..... | 1 00 |
| A COMPLETE TREATISE ON SOLAR CRAYON PORTRAITS AND TRANSPARENT LIQUID WATER-COLORS.—By J. A. BARHYDT. Practical ideas and directions given. Amateurs will learn ideas of color from this book that will be of value to them. And any one by carefully following the directions on Crayon, will be able to make a good Crayon Portrait..... | 50 |
| THE BRITISH JOURNAL ALMANAC FOR 1888..... | 25 |
| PHOTO. NEWS YEAR BOOK OF PHOTOGRAPHY for 1888..... | 25 |
| PADDLE AND PORTAGE.—By THOMAS SEDGWICK STEELE | 1 50 |
| AMERICAN HAND-BOOK OF THE DAGUERREOTYPE.—By S. D. HUM- PHREY. (Fifth Edition.) This book contains the various processes employed in taking Heliographic impressions..... | 10 |
| THE NEW PRACTICAL PHOTOGRAPHIC ALMANAC.—Edited by J. H. FITZGIBBON | 25 |
| MOSAICS FOR 1870, 1871, 1872, 1873, 1875, 1882, 1883, 1884, 1885, 1886, 1887, 1888, each | 25 |
| BRITISH JOURNAL ALMANAC FOR 1878, 1882, 1883, 1887..... | 25 |
| PHOTO. NEWS YEAR-BOOK OF PHOTOGRAPHY FOR 1870, 1871, 1887... | 25 |
| THE PHOTOGRAPHER'S FRIEND ALMANAC FOR 1873..... | 25 |
| ART OF MAKING PORTRAITS IN CRAYON ON SOLAR ENLARGE- MENTS. (Second Edition). By E. LONG. Price..... | 50 |
| PHOTOGRAPHY APPLIED TO SURVEYING. Illustrated. By Lieut. HENRY A. REED, U.S.A. Cloth bound..... | 2 50 |
| AMERICAN ALMANAC OF PHOTOGRAPHY..... | 25 |

Scovill's Complete Photographic Series.

| | Price, Per Copy. |
|---|---------------------|
| No. 1.—THE PHOTOGRAPHIC AMATEUR.—By J. TRAILL TAYLOR. A Guide to the Young Photographer, either Professional or Amateur. (Second Edition.) Paper covers, 50 cents. Library Edition..... | \$1 00 |
| No. 2.—THE ART AND PRACTICE OF SILVER PRINTING.—By H. P. ROBINSON and Capt. W. DE W. ABNEY, R.E., F.R.S. (Third Edition.) Paper covers, 50 cents. Library Edition..... | 75 |
| No. 3.—Out of print. | |
| No. 4.—HOW TO MAKE PICTURES.—By HENRY CLAY PRICE. (Fourth edition.) The A B C of Dry-Plate Photography. Paper covers, 50 cents. Library Edition..... | 75 |
| No. 5.—PHOTOGRAPHY WITH EMULSIONS.—By CAPT. W. DE W. ABNEY, R.E., F.R.S. A treatise on the theory and practical working of Gelatine and Collodion Emulsion Processes. (Second Edition.)..... | 1 00 |
| No. 6.—No. 17 has taken the place of this book. | |
| No. 7.—THE MODERN PRACTICE OF RETOUCHING.—As practiced by M. Piguepé, and other celebrated experts. (Fourth Edition)..... | 50 |
| No. 8.—THE SPANISH EDITION OF HOW TO MAKE PICTURES.—Ligeras Lecciones sobre Fotografía Dedicados a Los Aficionados..... | 1 00 |
| No. 9.—TWELVE ELEMENTARY LESSONS IN PHOTOGRAPHIC CHEMISTRY.—Presented in very concise and attractive shape. (Second Edition.) | 25 |
| No. 10.—Out of print. | |
| No. 11.—Out of print. | |
| No. 12.—HARDWICH'S PHOTOGRAPHIC CHEMISTRY.—A manual of photographic chemistry, theoretical and practical. Ninth Edition. Edited by J. TRAILL TAYLOR. Leatherette Binding..... | 2 00 |
| No. 13.—TWELVE ELEMENTARY LESSONS ON SILVER PRINTING. (Second Edition)..... | 50 |
| No. 14.—ABOUT PHOTOGRAPHY AND PHOTOGRAPHERS.—A series of interesting essays for the studio and study, to which is added European Rambles with a Camera. By H. BADEN PRITCHARD, F.C.S..... | 50 |
| No. 15.—THE CHEMICAL EFFECT OF THE SPECTRUM.—By DR. J. M. EDER..... | 25 |
| No. 16.—PICTURE MAKING BY PHOTOGRAPHY.—By H. P. ROBINSON. Author of Pictorial Effect in Photography. Written in popular form and finely illustrated. Paper covers, 75 cents. Library Edition..... | 1 00 |
| No. 17.—FIRST LESSONS IN AMATEUR PHOTOGRAPHY.—By PROF. RANDALL SPAULDING. A series of popular lectures, giving elementary instruction in dry-plate photography, optics, etc. (Second Edition.) Paper covers, 25 cents. Library Edition..... | 75 |
| No. 18.—THE STUDIO; AND WHAT TO DO IN IT.—By H. P. ROBINSON. Author of Pictorial Effect in Photography, Picture Making by Photography, etc. Paper covers, 75c. Library Edition..... | 1 00 |
| No. 19.—THE MAGIC LANTERN MANUAL.—(Third edition.) By W. I. CHADWICK. With one hundred and five practical illustrations; cloth bound. | 75 |
| No. 20.—DRY PLATE MAKING FOR AMATEURS.—By GEO. L. SINCLAIR, M.D. Pointed, practical, and plain. Leatherette binding..... | 50 |
| No. 21.—THE AMERICAN ANNUAL OF PHOTOGRAPHY AND PHOTOGRAPHIC TIMES ALMANAC FOR 1887.—(Second Edition.) Paper cover (postage, ten cents additional). Library Edition..... | 1 00 |
| No. 22.—PHOTOGRAPHIC PRINTING METHODS.—By the Rev. W. H. BURBANK. A Practical Guide to the Professional and Amateur Worker. Cloth bound..... | 1 00 |
| No. 23.—A HISTORY OF PHOTOGRAPHY: Written as a Practical Guide and an Introduction to its Latest Developments, by W. JEROME HARRISON, F. G. S., and containing a frontispiece of the author. Cloth bound..... | 1 00 |
| No. 24.—THE AMERICAN ANNUAL OF PHOTOGRAPHY AND PHOTOGRAPHIC TIMES ALMANAC FOR 1888.—Illustrated—Paper cover.... (when by mail, ten cents additional.) Library Edition..... | 50 1 00 |
| No. 25.—THE PHOTOGRAPHIC NEGATIVE.—A Practical Guide to the preparation of sensitive surfaces by the calotype, albumen, collodion, and gelatine processes, on glass and paper, with supplementary chapter on development, etc. by the Rev. W. H. BURBANK. Cloth bound..... | 1 50 |
| No. 26.—THE PHOTOGRAPHIC INSTRUCTOR FOR THE PROFESSIONAL AND AMATEUR.—Being the comprehensive series of Practical Lessons issued to the students of the Chautauqua School of Photography. Revised and enlarged. Edited by W. I. LINCOLN ADAMS, with an Appendix by Prof. CHARLES EHLMANN. Paper covers..... | 75 1 25 |
| No. 27.—LETTERS ON LANDSCAPE PHOTOGRAPHY.—By H. P. ROBINSON. With a photogravure portrait of the Author, and nine illustrations from his own photographs. Cloth bound..... | 1 50 |
| No. 28.—THE AMERICAN ANNUAL OF PHOTOGRAPHY AND PHOTOGRAPHIC TIMES ALMANAC FOR 1889. Finely illustrated. Paper (by mail, 12 cents additional), 50c. Library Edition..... | 1 00 |

WILSON'S

PHOTOGRAPHIC PUBLICATIONS.

FOR SALE BY

THE SCOVILL & ADAMS COMPANY.

- WILSON'S QUARTER CENTURY IN PHOTOGRAPHY. By EDWARD L. WILSON, Ph.D. "The best of everything boiled out from all sources." Profusely illustrated, and with notes and elaborate index..... \$4 00
- WILSON'S PHOTOGRAPHICS.—"Chautauqua Edition," with Appendix. By EDWARD L. WILSON, Ph.D. A most complete photographic lesson-book. Covers every department. 352 pages. Finely illustrated..... 4 00
- BURNET'S ESSAYS ON ART. A *fac-simile* reproduction of the costly original edition. Will help every portrait maker, every view taker, who will study them understandingly. They teach the rudiments and the rules of art entire. You cannot appreciate or understand the enjoyment there is in pictures, and in making them out or indoors, until you have read "Burnet's Essays" and studied the 145 etchings which illustrate them.... 4 00
- PHOTO-ENGRAVING, PHOTO-ETCHING, AND PHOTO-LITHOGRAPHY. By W. T. WILKINSON. Revised and enlarged by EDWARD L. WILSON, Ph.D. Illustrated. 180 pages, all new. Cloth bound..... 3 00
- WILSON'S PHOTOGRAPHIC MAGAZINE. Edited by EDWARD L. WILSON, Ph.D. A semi-monthly magazine, illustrated by photographs. \$5 a year; club rate with weekly *Photographic Times*..... 9 00
- THE PHOTOGRAPHIC COLORISTS' GUIDE. By JOHN L. GIBON. The newest and best work on painting photographs... 1 50
- PHOTOGRAPHIC MOSAICS, 1889. Cloth bound, \$1; paper cover..... 50

Send for Latest Revised Catalogue containing Reduced Price List of

The American Optical Company's APPARATUS,

INCLUDING ALL STYLES OF

View and Portrait Cameras, Plate Holders for Wet or
Dry Plates, Gallery Stands, Tripods, Printing
Frames, Negative Boxes and Racks,
Retouching Frames, Ama-
teur Outfits, etc., etc.,

UNRIVALED for BEAUTY of DESIGN, UNEQUALED for DURABILITY of CONSTRUCTION,

AND

UNAPPROACHED FOR FINENESS OF FINISH.


THEY ALWAYS GIVE UNQUALIFIED SATISFACTION.

THE SCOVILL & ADAMS COMPANY, Sole Proprietors,

423 Broome St., New York City.

For Sale by all Reputable Photographic Dealers.

 **TO PROGRESSIVE PHOTOGRAPHERS.**



Patented May 31, 1887.

The New Magic Vignetter,
FOR
**Producing the Black Background,
or Ebony Photographs.**

Hundreds of these Vigneters are now in use, GIVING UNIVERSAL SATISFACTION. They can be easily adjusted to any camera, and require no more trouble or expense than making plain photographs. Every progressive photographer should have one. Its work will attract attention in your case and increase your business. Every one guaranteed.

PRICE, each, - \$8.00.

Sample Photographs made with it sent on application.


KUHN'S
Improved Vignetting Attachment

For Vignetting the Negative.

LIGHT, STRONG and DURABLE.

It is perfectly reliable and quickly adjusted to any lens by the means of a thumb-screw. It can be raised or lowered at will to any position desired by the operator, by simply pulling a cord, without leaving his position behind the camera.



PRICE, each, - \$3.50.



Patented September 6, 1887.

These articles can be procured through your dealer, or

H. A. HYATT, Sole Agent,
AND DEALER IN
PHOTOGRAPHIC SUPPLIES OF EVERY DESCRIPTION.
N. E. cor. Eighth and Locust Streets, St. Louis, Mo.

 If you have not received our 300-page Catalogue, send for it. 



Patented July 17, 1887.

STAMP PORTRAITS.


These are the only stamp portraits that are gummed and perforated, and being the exact size of the ordinary postage stamps, photographers and others will find them an interesting novelty in advertising their business.

Send for prices and sample which will be sent on application.

Address

H. A. HYATT,
N. E. cor. 8th and Locust Sts.,
ST. LOUIS, MO.

Gayton W Douglass Co



Merchants in Photographic Supplies,

185 & 187 WABASH AVE.,

CHICAGO.

Everything pertaining to PHOTOGRAPHY, for PROFESSIONAL and AMATEUR, of the HIGHEST GRADE and at LOWEST PRICES.

Dark-rooms in charge skillful photographers, at the service of our patrons without charge.

Negatives developed; stripped, and printed.

“How to Make Photographs” and Catalogues mailed free on application.

PHOTO-MICROGRAPHIC OUTFITS.

LAVENE SCIOPTICONS.

Subscriptions taken for Photographic Journals published in any part of the world.

Correspondence invited.

910 Arch Street
Philadelphia

JOHN G. HOOD, Chairman.
WM. D. H. WILSON, Treas.
JOS. P. CHEYNEY, Sec.

Founded 1865.



Wilson-Hood-Cheyney Company
LIMITED.

SOLE U. S. AGENTS FOR

Ross

Lenses

AND DEALERS IN

Photo Goods

Established 1857.

CHAS. COOPER & CO.,

194 WORTH ST.,

NEW YORK.

WORKS AT NEWARK, N. J.

OFFER A COMPLETE LINE OF

Photo. Chemicals, Dresden Albumen
Paper, Saxony Evaporating
Dishes, Etc.

Our chemicals are of Standard
Quality, of correct weight and
measure.

A circular, "How to Save Waste,"
mailed on application.

S. P. C. RETOUCHING FLUID,

For Varnished or Unvarnished Negatives.

Price, per bottle, - - 25 cents.

CIHON'S OPAQUE.

Is designed for completely obscuring the imperfect backgrounds of copies, retouching faulty skies in landscape negatives, coating the inside of lenses or cameras, backing solar negatives, covering vignetting boards, etc., etc. Wherever you want to keep out light, use Opaque. It is applied with a brush, dries quickly and sticks. Price, per box.....\$0 50


RED SABLE BRUSHES.

In Tin Ferrules. Cedar Handles.

For Fine Painting in Oil Colors, or for Coloring Ferrotypes.

| No. | Each. | No. | Each. | No. | Per Doz. | No. | Per Doz. |
|--------|--------|---------|--------|--------|----------|---------|----------|
| 1..... | \$0 07 | 7..... | \$0 18 | 1..... | \$0 80 | 7..... | \$2 12½ |
| 2..... | 08 | 8..... | 20 | 2..... | 83 | 8..... | 2 25 |
| 3..... | 09 | 9..... | 22 | 3..... | 1 00 | 9..... | 2 50 |
| 4..... | 10 | 10..... | 24 | 4..... | 1 15 | 10..... | 2 75 |
| 5..... | 12 | 11..... | 30 | 5..... | 1 25 | 11..... | 3 37 |
| 6..... | 15 | 12..... | 38 | 6..... | 1 50 | 12..... | 4 25 |

RETOUCHING PENCILS.



FINEST SIBERIAN.

| | |
|---------------------------------------|--------|
| Faber's, 1 to 4 B's, soft, each | \$0 15 |
| “ HB & F, middling, each..... | 15 |
| “ 1 to 4 H's, hard, each..... | 15 |
| The above, Hexagon, per doz..... | 1 25 |
| Holders for Leads, each | 25 |
| Crowell's Metallic Leads, each..... | 25 |

For Sale by

THE SCOVILL & ADAMS COMPANY.

RETOUCHING CLASSES.

German Silver Band. Ebony Handle.



| | Each. |
|-------------------|--------|
| 2 inch Lens..... | \$0 85 |
| 2½ " | 1 25 |
| 3 " | 1 75 |
| 3½ inch Lens..... | 2 25 |
| 4 " | 3 25 |
| 4½ " | 3 75 |

RETOUCHING FRAMES.


No. 1, for 1-4 to 8 x 10 negatives,
black walnut.... \$3 75

No. 2, for 1-4 to 11 x 14 negatives,
black walnut..... 7 50

They have a drawer and all the modern improvements.

For sale by

THE SCOVILL & ADAMS COMPANY.



TWELVE PHOTOGRAPHIC STUDIES.

No. 1.—A COLLECTION of PHOTOGRAVURES from the BEST REPRESENTATIVE PHOTOGRAPHIC NEGATIVES by LEADING PHOTOGRAPHIC ARTISTS. The Collection includes—

| | |
|---|--------------------------------------|
| "From Dawn to Sunset".....H. P. Robinson. | "Ophelia".....H. P. Robinson. |
| "Childhood".....H. McMichael. | "No Barrier".....F. A. Jackson. |
| "As Age Steals On".....J. F. Ryder. | "El Capitan".....W. H. Jackson. |
| "A Portrait Study".....B. J. Falk. | "Still Waters".....J. J. Montgomery. |
| "Solid Comfort".....John E. Dumont. | "Surf".....James F. Cowee. |
| "A Horse Race"..... |George Barker. |
| "Hi, Mister, may we have some Apples?"..... |Geo. B. Wood. |

Printed on Japan Paper, mounted on boards. Size 11x14, in ornamental port-folio envelope. Price, \$3.00. Sent post-paid on receipt of price.

THE SCOVILL & ADAMS COMPANY.

THE ILLUSTRATED HOLIDAY DOUBLE NUMBER of the PHOTOGRAPHIC TIMES for 1888.

CONTAINING—

| | |
|--|-----------------|
| A Photogravure Frontispiece, from a negative by..... | H. P. Robinson. |
| "Niagara in Winter," also in Photogravure..... | John E. Dumont. |
| "Instantaneous Studies in Italy"..... | W. J. Stillman. |

AND ARTICLES BY—

| | | |
|----------------------------|------------------------|----------------------|
| Prof. W. K. Burton, F.G.S. | W. I. Lincoln Adams, | Dr. Julius Schnauss, |
| | C. W. Canfield, | Frank La Manna, |
| | John Carbutt, | W. J. Hickmott, |
| | Prof. Peter T. Austin, | Miss Adelaide Skeel, |
| | Prof. Karl Klausner, | And others. |

nailed to any address on receipt of 15 cents.

OVER, Pictorial, and illustrating DRAWINGS THROUGH-
is. TWENTY-EIGHT pages of Reading Matter, IN ADDI-
PAGE PLATES. Just the thing to mail to a friend who is
raphy.

THE PHOTOGRAPHIC TIMES PUBLISHING ASSOCIATION.

special 91-B
30515

S. P. C. RETOUCHING FLUID,

For Varnished or Unvarnished Negatives.

Price, per bottle, - - 25 cents.

GIHON'S OPAQUE.

Is designed for completely obscuring the imperfect backgrounds of copies, retouching faulty skies in landscape negatives, coating the inside of lenses or cameras, backing solar negatives, covering vignetting boards, etc., etc. Wherever you want to keep out light, use Opaque. It is applied with a brush, dries quickly and sticks. Price, per box.....\$0 50

RED SABLE BRUSHES.

In Tin Ferrules. Cedar Handles.

For Fine Painting in Oil Colors, or for Coloring Ferrotypes.

| No. | Each. | No. | Each. | No. | Per Doz. | No. | Per Doz. |
|--------|--------|---------|--------|--------|----------|---------|----------|
| 1..... | \$0 07 | 7..... | \$0 18 | 1..... | \$0 80 | 7..... | \$2 12½ |
| 2..... | 08 | 8..... | 20 | 2..... | 83 | 8..... | 2 25 |
| 3..... | 09 | 9..... | 22 | 3..... | 1 00 | 9..... | 2 50 |
| 4..... | 10 | 10..... | 24 | 4..... | 1 15 | 10..... | 2 75 |
| 5..... | 12 | 11..... | 30 | 5..... | 1 25 | 11..... | 3 37 |
| 6..... | 15 | 12..... | 38 | 6..... | 1 50 | 12..... | 4 25 |

RETOUCHING PENCILS.



FINEST SIBERIAN.


| | |
|---------------------------------------|--------|
| Faber's, 1 to 4 B's, soft, each | \$0 15 |
| “ HB & F, middling, each..... | 15 |
| “ 1 to 4 H's, hard, each..... | 15 |
| The above, Hexagon, per doz..... | 1 |
| Holders for Leads, each..... | 25 |
| Crowell's Metallic Leads, each..... | 25 |

For Sale by

THE SCOVILL & ADAMS COMPANY

RETOUCHING CLASSES.

German Silver Band. Ebony Handle.



| | Each. |
|-------------------|--------|
| 2 inch Lens..... | \$0 85 |
| 2½ " | 1 25 |
| 3 " | 1 75 |
| 3½ inch Lens..... | 2 25 |
| 4 " | 3 25 |
| 4½ " | 3 75 |

RETOUCHING FRAMES.


No. 1, for 1-4 to 8 x 10 negatives,
black walnut.....\$3 75

No. 2, for 1-4 to 11 x 14 negatives,
black walnut..... 7 50

They have a drawer and all the modern improvements.

For sale by

THE SCOVILL & ADAMS COMPANY.



TWELVE PHOTOGRAPHIC STUDIES.

No. 1.—A COLLECTION of PHOTOGRAVURES from the BEST REPRESENTATIVE PHOTOGRAPHIC NEGATIVES by LEADING PHOTOGRAPHIC ARTISTS. The Collection includes—

| | | |
|--|----------------------|-------------------|
| "From Dawn to Sunset," .. H. P. Robinson. | "Ophelia" | H. P. Robinson. |
| "Childhood" | "No Barrier" | F. A. Jackson. |
| "As Age Steals On" | "El Capitan" | W. H. Jackson. |
| "A Portrait Study" | "Still Waters" | J. J. Montgomery. |
| "Solid Comfort" | "Surf" | James F. Cowee. |
| "A Horse Race" | | George Barker. |
| "Hi, Mister, may we have some Apples?" | | Geo. B. Wood. |

Printed on Japan Paper, mounted on boards. Size 11x14, in ornamental port-folio envelope. Price, \$3.00. Sent post-paid on receipt of price.

THE SCOVILL & ADAMS COMPANY.

THE ILLUSTRATED HOLIDAY DOUBLE NUMBER of the PHOTOGRAPHIC TIMES for 1888.

CONTAINING

| | |
|--|-----------------|
| A Photogravure Frontispiece, from a negative by..... | H. P. Robinson. |
| "Niagara in Winter," also in Photogravure..... | John E. Dumont. |
| "Instantaneous Studies in Italy" | W. J. Stillman. |

AND ARTICLES BY

| | | |
|----------------------------|------------------------|----------------------|
| Prof. W. K. Burton, | W. I. Lincoln Adams, | Dr. Julius Schnauss, |
| W. Jerome Harrison, F.G.S. | C. W. Canfield, | Frank La Manna, |
| Rev. W. H. Burbank, | John Carbutt, | W. J. Hickmott, |
| W. J. Stillman, | Prof. Peter T. Austin, | Miss Adelaide Skeel, |
| Prof. Charles Ehrmann, | Prof. Karl Klausner, | <i>And others.</i> |

Will be mailed to any address on receipt of 15 cents.

NEW SPECIAL COVER, Pictorial, and illustrating DRAWINGS THROUGHOUT the Letter-Press. TWENTY-EIGHT pages of Reading Matter, IN ADDITION to the FULL-PAGE PLATES. Just the thing to mail to a friend who is interested in Photography.

THE PHOTOGRAPHIC TIMES PUBLISHING ASSOCIATION.

2/85
JKV
8079

